

CASIO®

CASIO WATCH CATALOGUE



SPRING/SUMMER | 2023 | Valid from february 2023

CONTENTS

G-SHOCK PAGE 3-23

PROFILE: multiple functions, extremely tough, modern sporty design

BABY-G PAGE 24-25

PROFILE: sophisticated functions, ultramodern, playful or chic

EDIFICE PAGE 26-37

PROFILE: from elegant and classic to sporty and functional, good price-performance ratio

PRO TREK PAGE 38-41

PROFILE: functional watches for special outdoor activities and sports (trekking etc.)

SHEEN PAGE 42-44

PROFILE: feminine, elegant design, very high-quality materials, chic

RADIO-CONTROLLED WATCHES PAGE 45-47

PROFILE: radio signal receiver ensures exact time display, distinguished business look

VINTAGE PAGE 48-57

PROFILE: unisex with the focus on female, trend- and fashion-conscious

CASIO COLLECTION PAGE 58-79

PROFILE: from metallic design to sporty, reasonably priced

WAKE UP TIMER PAGE 80-84

PROFILE: colourful, sets the tone, ideal for home and travel

INDEX, PICTOGRAMS PAGE 85-93

G-SHOCK

MEN'S

5611 | GM-2100CB-3AER

Ø 44 mm
Ionised case



NEW

5611 | GM-2100CB-1AER

Ø 44 mm
Ionised case



NEW

5611 | GM-2100C-5AER

Ø 44 mm



NEW

5611 | GM-2100BB-1AER

Ø 44 mm
Ionised case



NEW

G-SHOCK MODELS

5611 | GM-2100N-2AER

Ø 44 mm
Ionised case



5611 | GM-2100G-1A9ER

Ø 44 mm
Ionised case



5611 | GA-2100-1A4ER

Ø 45 mm



5611 | GA-2100-1A3ER

Ø 45 mm



5611 | GM-2100B-3AER

Ø 44 mm
Ionised case



5611 | GM-2100-1AER

Ø 44 mm



5611 | GA-2100-1A2ER

Ø 45 mm



5611 | GA-2100-1A1ER

Ø 45 mm



5611 | GA-2100SKE-7AER

Ø 45 mm



5611 | GA-2100-1AER

Ø 45 mm



5611 | GA-2100-4AER

Ø 45 mm



5611 | GA-2100SU-1AER

Ø 45 mm



5611 | GA-2110SU-3AER

Ø 45 mm



5611 | GA-2110ET-8AER

Ø 45 mm



5689 | GA-B2100-2AER

Ø 46 mm





5689 | GA-B2100-1AER

Ø 46 mm



The new GA-B2100 with solar power and smartphone link

The new GA-B2100 watches offer increased convenience in everyday life with Bluetooth® connectivity and solar power. The smartphone link via Bluetooth® guarantees accurate time keeping worldwide. Next to this, thanks to Tough Solar technology any light will be converted into energy and eliminates the need for regular battery replacement. This makes the GA-B2100 not only indestructible, but also sustainable and accurate.



5689 | GA-B2100-1A1ER

Ø 46 mm



3229 | GM-5600-1ER

Ø 43 mm



5689 | GA-B2100C-9AER

Ø 46 mm



5689 | GA-B2100-3AER

Ø 46 mm



3495 | GW-5000U-1ER

Ø 43 mm



3229 | DW-5600SKE-7ER

Ø 43 mm



G-SHOCK MODELS

3229 | DW-5600BB-1ER

Ø 43 mm




3229 | DW-5600E-1VER

Ø 43 mm



3220 | GXW-56-1AER

Ø 54 mm



G-SHOCK MODELS


3221 | GX-56BB-1ER

Ø 54 mm



3151 | GLX-5600RT-9ER

Ø 43 mm



3151 | GLX-5600RT-4ER

Ø 43 mm



3461 | GW-B5600BC-1BER

Ø 43 mm



3461 | GW-B5600-2ER

Ø 43 mm



3495 | GW-M5610U-1ER

Ø 43 mm



3495 | GW-M5610U-1BER

Ø 43 mm



CASIO WATCHES

DW-B5600G
Apr 30, 2022

Connected

GET IT ON Google Play

Download on the App Store

3509 | DW-B5600G-7ER

Ø 43 mm



5690 | GA-B001-4AER

Ø 46 mm



5690 | GA-B001-1AER

Ø 46 mm



3509 | DW-B5600G-2ER

Ø 43 mm



3509 | DW-B5600G-1ER

Ø 43 mm



5146 | GA-110GB-1AER

Ø 51 mm



5146 | GA-110-1BER

Ø 51 mm



5690 | GA-B001G-2AER

Ø 46 mm



5690 | GA-B001G-1AER

Ø 46 mm



5081 | GA-100RGB-1AER

Ø 51 mm



5081 | GA-100B-7AER

Ø 51 mm



5081 | GA-100B-4AER

Ø 51 mm



5081 | GA-100-1A4ER

Ø 51 mm



5230 | AWG-M100SB-2AER

Ø 46 mm



5230 | AWG-M100B-1AER

Ø 46 mm



5081 | GA-100-1A2ER

Ø 51 mm



5081 | GA-100-1A1ER

Ø 51 mm



5230 | AWG-M100A-1AER

Ø 46 mm



5674 | GA-2200BB-1AER

Ø 47 mm




5444 | GAW-100B-1AER

Ø 53 mm



5444 | GAW-100B-1A2ER

Ø 53 mm
Ionised bezel



5612 | GA-140-6AER

Ø 51 mm



5612 | GA-140-1A1ER

Ø 51 mm



5522 | GA-710GB-1AER

Ø 53 mm



5522 | GA-700-1BER

Ø 53 mm



G-Squad

The new G-SQUAD series combines a stylish look with innovative technology. Equipped with a 3-axis accelerometer, the watch counts steps per day and tracks walking or running speed. Using Bluetooth®, the watch pairs with a smartphone and sends data to the G-SHOCK Connected app, allowing users to monitor their progress in a perfect way.


3200 | GW-7900B-1ER

Ø 50 mm



2548 | G-2900F-1VER

Ø 46 mm



GBD-H2000

The GBD-H2000 impresses with its sporty colours and dynamic design. With its slim housing, the watch offers exciting features such as heart rate measurement and other outdoor functions that improve your training and fitness level: You can view detailed fitness data via the smartphone app and make individual adjustments as needed. For the sake of the environment, the case and strap are made from sustainable resin.

3515 | GBD-H2000-1A9ER

Ø 53 mm

Step Tracker



NEW

3515 | GBD-H2000-1BER

Ø 53 mm

Step Tracker



NEW

3515 | GBD-H2000-2ER

Ø 53 mm

Step Tracker



NEW


G-SHOCK MODELS

3515 | **GBD-H2000-1AER**

Ø 53 mm
Step Tracker

CASIO WATCHES
SOLAR POWERED

4 549526 334207



NEW



3506 | **GBD-200UU-9ER**

Ø 46 mm
Step Tracker

G-SHOCK MOVE

4 549526 322051



5641 | **GBA-900UU-5AER**

Ø 49 mm
Step Tracker

G-SHOCK MOVE

4 549526 322716



5641 | **GBA-900UU-3AER**

Ø 49 mm
Step Tracker

G-SHOCK MOVE

4 549526 322662



3506 | **GBD-200UU-1ER**

Ø 46 mm
Step Tracker

G-SHOCK MOVE

4 549526 322006




3506 | **GBD-200-9ER**

Ø 46 mm
Step Tracker

G-SHOCK MOVE

4 549526 306372



5641 | **GBA-900-7AER**

Ø 49 mm
Step Tracker

G-SHOCK MOVE

4 549526 301773



5641 | **GBA-900-1AER**

Ø 49 mm
Step Tracker

G-SHOCK MOVE

4 549526 301674



3506 | **GBD-200-2ER**

Ø 46 mm
Step Tracker

G-SHOCK MOVE

4 549526 306327



3506 | **GBD-200-1ER**

Ø 46 mm
Step Tracker

G-SHOCK MOVE

4 549526 306273



G-SHOCK Connected

GET IT ON Google Play

Download on the App Store

3464 | **GBD-800UC-8ER**

Ø 49 mm
Step Tracker

G-SHOCK Connected

4 549526 218620




3464 | **GBD-800UC-5ER**

Ø 49 mm
Step Tracker



G-SHOCK Connected




3464 | **GBD-800UC-3ER**

Ø 49 mm
Step Tracker



G-SHOCK Connected




3464 | **GBD-800-8ER**

Ø 49 mm
Step Tracker



G-SHOCK Connected




3464 | **GBD-800-1BER**

Ø 49 mm
Step Tracker



G-SHOCK Connected




5554 | **GBA-800-9AER**

Ø 49 mm
Step Tracker



G-SHOCK Connected




5554 | **GBA-800-1AER**

Ø 49 mm
Step Tracker



G-SHOCK Connected




G-SHOCK
WOMEN'S

NEVER GIVE UP!

Meant for women who are tough, active, and fashionable. Those who defy all resistance. Those who love style with an edge. Those who don't care much for the "ordinary". Make your point - NEVER GIVE UP!


5663 | **GM-S2100PG-1A4ER**

Ø 40 mm
Ionised case



5663 | **GM-S2100GB-1AER**

Ø 40 mm
Ionised case



5663 | **GM-S2100B-8AER**

Ø 40 mm
Ionised case




5663 | **GM-S2100-3AER**

Ø 40 mm



5611 | **GMA-S2100GA-7AER**

Ø 43 mm




5611 | **GMA-S2100GA-3AER**

Ø 43 mm



5611 | **GMA-S2100GA-1AER**

Ø 43 mm



G-SHOCK MODELS

5611 | GMA-S2100SK-7AER

Ø 43 mm



5611 | GMA-S2100SK-4AER

Ø 43 mm



5611 | GMA-S2100SK-2AER

Ø 43 mm



5611 | GMA-S2100-4AER

Ø 43 mm



5611 | GMA-S2100-4A2ER

Ø 43 mm



5611 | GMA-S2100-1AER

Ø 43 mm



5611 | GMA-S2100SK-1AER

Ø 43 mm



5611 | GMA-S2100BA-4AER

Ø 43 mm



5611 | GMA-S2100BA-3AER

Ø 43 mm



3489 | GM-S5600PG-4ER

Ø 38 mm

Ionised case



3489 | GM-S5600PG-1ER

Ø 38 mm

Ionised case



3489 | GM-S5600-1ER

Ø 38 mm




5611 | GMA-S2100BA-2A2ER

Ø 43 mm




5611 | GMA-S2100BA-2A1ER

Ø 43 mm




5611 | GMA-S2100-7AER

Ø 43 mm



3523 | GMD-S5600-8ER

Ø 41 mm



3523 | GMD-S5600-7ER

Ø 41 mm



3523 | GMD-S5600-2ER

Ø 41 mm



3523 | GMD-S5600-1ER

Ø 41 mm



NEW



5706 | GM-S110PG-1AER

Ø 42 mm
Ionised case



5706 | GM-S110LB-2AER

Ø 42 mm
Ionised case



5613 | GMA-S140M-7AER

Ø 46 mm



5613 | GMA-S140M-4AER

Ø 46 mm



5613 | GMA-S140M-1AER

Ø 46 mm



5706 | GM-S110B-8AER

Ø 42 mm
Ionised case



5706 | GM-S110-1AER

Ø 42 mm



5425 | GMA-S110SR-7AER

Ø 46 mm



G-SHOCK Connected

GET IT ON Google Play

Download on the App Store

Fitness at a glance
The GMD-B800 series combines a stylish look with cool technology. Equipped with a 3-axis accelerometer, the watch counts steps per day and tracks walking or running speed. Using Bluetooth®, the watch pairs with a smartphone and sends data to the G-SHOCK Connected app, allowing users to monitor their progress in a perfect way.

5425 | GMA-S110GS-8AER

Ø 46 mm



5425 | GMA-S110GS-3AER

Ø 46 mm



5518 | GMA-S120GS-3AER

Ø 46 mm



3486 | GMD-B800-4ER

Ø 45 mm
Step Tracker



3486 | GMD-B800-1ER

Ø 45 mm
Step Tracker






Tough and cool

The stylish watches of the Baby-G brand have been proving their intuition for trends for more than 25 years merging laid-back colors and cool patterns with tough functions. This successful combination makes it an indispensable watch for all those who love an active and fashionable lifestyle. Be it in the party capital, on the beach of your dreams, or playing sports – BABY-G has its share in any kind of action. Be tough, be cool, be BABY-G.

5607 | **BA-130-7A1ER**

Ø 43 mm




5338 | **BA-110X-7A1ER**

Ø 43 mm



5606 | **MSG-C100G-1AER**

Ø 40 mm
Ionised case



3489 | **BGD-565S-7ER**

Ø 38 mm



3489 | **BGD-565-7ER**

Ø 38 mm



3489 | **BGD-565SC-4ER**

Ø 38 mm



NEW

3489 | **BGD-565SC-3ER**

Ø 38 mm



NEW

3489 | **BGD-565SC-2ER**

Ø 38 mm



NEW

3489 | **BGD-565-4ER**

Ø 38 mm



3489 | **BGD-565-1ER**

Ø 38 mm



Tough und Cool

For all those who want to know exactly: The new BGD-5650 models have a multi-band 6 radio signal reception and thus show the radio-accurate local time in many parts of the world. The two newcomers in the popular retro look are also convincing with their sustainable solar function and other exciting features, such as a display flasher, timer, alarm function and much more. Be tough, be cool, be BABY-G.

3493 | **BGD-5650-7ER**

Ø 38 mm



NEW

3493 | **BGD-5650-1ER**

Ø 38 mm



NEW




5697 | EQB-2000DC-1AER

Ø 48 mm



5698 | ECB-2000PB-1AEF

Ø 51 mm
Carbon bezel



The new EQB-2000 models can be set easily via the CASIO WATCHES app. The app is available free of charge in the App stores.



No smartphone?!

Even without a smartphone, the models of the EQB and ECB series can be set intuitively using the crown or the buttons.

5697 | EQB-2000DB-1AER

Ø 48 mm



5639 | EQB-1100D-1AER

Ø 45 mm
Sapphire crystal



First EDIFICE chronograph with carbon case

Thanks to the high-tech material carbon, the watch promises excellent toughness and unique lightness at the same time. The impressive new design of the watch is characterised by the newly developed, distinctive lugs, which are reminiscent of the wheel suspensions of racing cars. Powerful and expressive, the ECB-2000 also impresses with its high-quality stainless steel strap and pleasant wearing comfort.




5698 | ECB-2000D-1AEF

Ø 51 mm



5708 | ECB-40P-1AEF

Ø 52 mm



5698 | ECB-2000DC-1AEF

Ø 51 mm
Ionised band
ionised bezel



5708 | ECB-40DC-1AEF

Ø 52 mm
ionised band



5708 | ECB-40MP-1AEF

Ø 52 mm
ionised bezel



The new Schedule timer

Always keep an eye on appointments with the "Schedule timer". The appointments from the smart-phone calendar will be automatically transmitted to the watch and shown on the display with the start and end times. In addition, these will be announced on the clock 120 minutes before the start and counted down. You can always keep an eye on your appointments and see how much time you have left for the next meeting.


5686 | **ECB-30P-1AEF**

Ø 49 mm



5686 | **ECB-30D-1AEF**


Ø 49 mm



5707 | **ECB-950DC-1AEF**

Ø 48 mm


Ionised case and band



5707 | **ECB-950DB-2AEF**

Ø 48 mm

Ionised bezel




NEW

5582 | **ECB-900MP-1AEF**

Ø 48 mm

Ionised bezel




NEW

5582 | **ECB-900DB-1AER**

Ø 48 mm


Ionised bezel



5707 | **ECB-950DB-1AEF**

Ø 48 mm

Ionised bezel



NEW

5582 | **ECB-900DB-1BER**


Ø 48 mm

Ionised bezel




5686 | **ECB-30D-2AEF**

Ø 49 mm



5707 | **ECB-950MP-1AEF**

Ø 48 mm



NEW

Elegant chronographs with sapphire crystal and solar power

The chronographs of the EFS-S620 series are equipped with the specially developed and sustainable Tough Solar® technology. Small solar cells are integrated on the dial and thus ensure a powerful energy supply and power reserve of up to 24 months. CASIO has been using this environmentally friendly concept since the early 1980s. In addition, the high-quality sapphire glass protects the watch from scratches in everyday life.

5585 | EFS-S620DB-1BVUEF

Ø 46 mm
Ionised bezel
Sapphire crystal



5529 | EFS-S510D-2AVUEF

Ø 46 mm
Sapphire crystal



Top quality in a wide range: sapphire crystal

Sapphire crystal is characterized by high scratch resistance and transparency for optimum protection against external influences. This quality is also given in entry-level price models. The durable sapphire crystal gives EDIFICE a special longevity. The reason why EDIFICE is perfectly in time.



5585 | EFS-S620DB-1AVUEF

Ø 46 mm
Ionised bezel
Sapphire crystal



5585 | EFS-S620BL-1AVUEF

Ø 46 mm
Ionised bezel
Sapphire crystal



5579 | EFB-700D-8AVUEF

Ø 45 mm
Sapphire crystal



5579 | EFB-700D-2AVUEF

Ø 45 mm
Sapphire crystal



5579 | EFB-700D-1AVUEF

Ø 45 mm
Sapphire crystal



5661 | EFS-S580DB-1AVUEF

Ø 45 mm
Carbon watch face
Ionised bezel
Sapphire crystal



5585 | EFS-S540DB-1AUEF

Ø 48 mm
Carbon watch face
Ionised bezel
Sapphire crystal



5664 | EFB-108D-7AVUEF

Ø 45 mm
Sapphire crystal



5664 | EFB-108D-1AVUEF

Ø 45 mm
Sapphire crystal



5359 | EFR-S108D-7AVUEF

Ø 40 mm
Sapphire crystal



EDIFICE MODELS

5359 | EFR-S108D-1AVUEF

Ø 40 mm
Sapphire crystal



5359 | EFR-S107D-1AVUEF

Ø 43 mm
Sapphire crystal



5695 | EFR-573DB-1AVUEF

Ø 47 mm
Ionised bezel



5451 | EFR-556D-1AVUEF

Ø 49 mm



5490 | EFR-552D-1AVUEF

Ø 47 mm



5490 | EFR-552D-1A2VUEF

Ø 47 mm



5695 | EFR-573D-2AVUEF

Ø 47 mm



5653 | EFR-571DB-1A1VUEF

Ø 47 mm
Ionised bezel



5653 | EFR-571D-1AVUEF

Ø 47 mm



5345 | EFR-539D-1A2VUEF

Ø 50 mm
Ionised bezel



5345 | EFR-526L-2CVUEF

Ø 44 mm



5345 | EFR-526L-1AVUEF

Ø 44 mm



5451 | EFR-556L-1AVUEF

Ø 49 mm



5451 | EFR-556DB-2AVUEF

Ø 49 mm
Ionised bezel



5451 | EFR-556DB-1AVUEF

Ø 49 mm
Ionised bezel



5345 | EFR-526D-7AVUEF

Ø 44 mm



5345 | EFR-526D-1AVUEF

Ø 44 mm



5118 | EF-539D-1AVEF

Ø 49 mm
Ionised bezel



EDIFICE MODELS

4369 | EF-527D-3AVUEF

Ø 46 mm



4369 | EF-527D-2AVUEF

Ø 46 mm



4369 | EF-527D-1AVEF

Ø 46 mm



5345 | EFV-610D-1AVUEF

Ø 44 mm



5345 | EFV-610D-3CVUEF

Ø 44 mm



5345 | EFV-610D-5CVUEF

Ø 44 mm



5579 | EFV-620L-1AVUEF

Ø 51 mm



5579 | EFV-620D-2AVUEF

Ø 51 mm



5579 | EFV-620D-1A4VUEF

Ø 51 mm



5579 | EFV-600D-2AVUEF

Ø 44 mm



5490 | EFV-580D-1AVUEF

Ø 44 mm



5451 | EFV-560D-2AVUEF

Ø 44 mm



5579 | EFV-620D-1A2VUEF

Ø 51 mm



5451 | EFV-560D-1AVUEF

Ø 44 mm



5579 | EFV-550P-1AVUEF

Ø 47 mm



5579 | EFV-550GY-8AVUEF

Ø 47 mm
Ionised case
and band



5563 | EFV-540D-7AVUEF

Ø 44 mm



5563 | EFV-540D-1AVUEF

Ø 44 mm



5563 | EFV-540D-1A2VUEF

Ø 44 mm



5699 | EFV-C110L-1AVEF

Ø 47 mm



5699 | EFV-C110D-2AVEF

Ø 47 mm



1794 | EF-316D-1AVEG

Ø 41 mm



5125 | EF-129D-2AVEF

Ø 45 mm



5125 | EF-129D-1AVEF

Ø 45 mm



5699 | EFV-C110D-1A4VEF

Ø 47 mm



5699 | EFV-C110D-1A3VEF

Ø 47 mm



5507 | EFV-100D-2AVUEF

Ø 42 mm



5507 | EFV-100D-1AVUEF

Ø 42 mm




5479 | EFV-C100D-2AVEF

Ø 47 mm



5479 | EFV-C100D-1AVEF

Ø 47 mm





Sustainable resin

The case, strap and caseback of the new Pro Trek models are made from organically renewable raw materials such as castor bean and corn. This is an important step that should contribute to more awareness about sustainability and the reduction of CO2 emissions. Another sustainable aspect is the environmentally friendly Tough Solar technology that powers the watch.



Fire-resistant leather strap

The newly developed fire-resistant leather strap of the PRW-6900YL is resistant to sparks and accompanies you at every campfire.



5673 | **PRW-6900YL-5ER**

Ø 45 mm
Ionised case



- SOLAR POWERED
- RADIO CONTROLLED



- LED
- 100°C
- 14°F
- NEO
- 260/1200
- 10/+60°C
- 10000 m
- ALTI MEMO
- 1/100
- 24 HR
- 1 HR
- 5
- MUTE
- SMART ACCESS
- MINERAL GLASS
- IP
- R/B/O
- R/B/O
- R/B/O
- R/B/O
- 10 BAR

5673 | **PRW-6900Y-3ER**

Ø 45 mm
Ionised case



- SOLAR POWERED
- RADIO CONTROLLED



- LED
- 100°C
- 14°F
- NEO
- 260/1200
- 10/+60°C
- 10000 m
- ALTI MEMO
- 1/100
- 24 HR
- 1 HR
- 5
- MUTE
- SMART ACCESS
- MINERAL GLASS
- IP
- R/B/O
- R/B/O
- R/B/O
- R/B/O
- 10 BAR

5660 | **PRW-6621Y-1ER**

Ø 52 mm
Ionised bezel



- SOLAR POWERED
- RADIO CONTROLLED



- LED
- 100°C
- 14°F
- NEO
- 260/1200
- 10/+60°C
- 10000 m
- ALTI MEMO
- 1/100
- 24 HR
- 1 HR
- 5
- MUTE
- SMART ACCESS
- MINERAL GLASS
- IP
- R/B/O
- R/B/O
- R/B/O
- R/B/O
- 10 BAR

5660 | **PRW-6611Y-1ER**

Ø 52 mm
Ionised bezel



- SOLAR POWERED
- RADIO CONTROLLED



- LED
- 100°C
- 14°F
- NEO
- 260/1200
- 10/+60°C
- 10000 m
- ALTI MEMO
- 1/100
- 24 HR
- 1 HR
- 5
- MUTE
- SMART ACCESS
- MINERAL GLASS
- IP
- R/B/O
- R/B/O
- R/B/O
- R/B/O
- 10 BAR

5673 | **PRW-61-1AER**

Ø 47 mm



- SOLAR POWERED
- RADIO CONTROLLED



- LED
- 100°C
- 14°F
- NEO
- 260/1200
- 10/+60°C
- 10000 m
- ALTI MEMO
- 1/100
- 24 HR
- 1 HR
- 5
- MUTE
- SMART ACCESS
- MINERAL GLASS
- IP
- R/B/O
- R/B/O
- R/B/O
- R/B/O
- 10 BAR

5673 | **PRW-61Y-3ER**

Ø 47 mm
Ionised bezel



- SOLAR POWERED
- RADIO CONTROLLED



- LED
- 100°C
- 14°F
- NEO
- 260/1200
- 10/+60°C
- 10000 m
- ALTI MEMO
- 1/100
- 24 HR
- 1 HR
- 5
- MUTE
- SMART ACCESS
- MINERAL GLASS
- IP
- R/B/O
- R/B/O
- R/B/O
- R/B/O
- 10 BAR

5571 | **PRW-6600YB-3ER**

Ø 52 mm
Ionised bezel



- SOLAR POWERED
- RADIO CONTROLLED



- LED
- 100°C
- 14°F
- NEO
- 260/1200
- 10/+60°C
- 10000 m
- ALTI MEMO
- 1/100
- 24 HR
- 1 HR
- 5
- MUTE
- SMART ACCESS
- MINERAL GLASS
- IP
- R/B/O
- R/B/O
- R/B/O
- R/B/O
- 10 BAR

3490 | PRW-30-1AER

Ø 45 mm



- SOLAR POWERED
- RADIO CONTROLLED



- LED SUPER
- 10°C
- 14°F
- DUPLX LCD
- 2667/1300
- 101+60°C
- 10000 m
- ALTI MEMO
- 1/10
- 1000 HR
- 24 HR
- MUTE
- 24
- MINERAL GLASS
- R
- 10 BAR

3513 | PRG-340T-7ER

Ø 52 mm



- SOLAR POWERED



- LED
- 10°C
- 14°F
- DUPLX LCD
- 2667/1300
- 101+60°C
- 10000 m
- ALTI MEMO
- 1/10
- 1000 HR
- 24 HR
- MUTE
- 24
- MINERAL GLASS
- R/B/O
- R/B/O
- TI
- PUSH
- 10 BAR

3513 | PRG-340-3ER

Ø 52 mm



- SOLAR POWERED



- LED
- 10°C
- 14°F
- DUPLX LCD
- 2667/1300
- 101+60°C
- 10000 m
- ALTI MEMO
- 1/10
- 1000 HR
- 24 HR
- MUTE
- 24
- MINERAL GLASS
- R/B/O
- R/B/O
- R/B/O
- 10 BAR

3513 | PRG-340-1ER

Ø 52 mm



- SOLAR POWERED



- LED
- 10°C
- 14°F
- DUPLX LCD
- 2667/1300
- 101+60°C
- 10000 m
- ALTI MEMO
- 1/10
- 1000 HR
- 24 HR
- MUTE
- 24
- MINERAL GLASS
- R/B/O
- R/B/O
- R/B/O
- 10 BAR

3443 | PRG-330-1ER

Ø 47 mm



- SOLAR POWERED



- LED
- 10°C
- 14°F
- DUPLX LCD
- 2667/1300
- 101+60°C
- 10000 m
- ALTI MEMO
- 1/10
- 1000 HR
- 24 HR
- MUTE
- 24
- MINERAL GLASS
- R
- 10 BAR

3415 | PRG-270-1ER

Ø 52 mm



- SOLAR POWERED



- LED
- 10°C
- 14°F
- DUPLX LCD
- 2667/1300
- 101+60°C
- 10000 m
- ALTI MEMO
- 1/10
- 1000 HR
- 24 HR
- MUTE
- 24
- MINERAL GLASS
- R
- 10 BAR

PRO TREK Connected

The PRT-B50 pairs with your smartphone via Bluetooth® to add even more ease of use to the outdoor experience. Owing to compass bearing, altimeter, temperature sensor, step counter and more, the PRT-B50 provides adventurers with the full range of information. All data may be stored via smartphone app so that a detailed route log is created – and thanks to the Location Indicator the way home is never the hard part.



App: PRO TREK Connected

All PRO TREK Bluetooth® watches may be set in a simple and fast manner by means of the PRO TREK Connected APP via Smartphone. The App may be downloaded free of charge in the Apple Store as well as the Play Store.



No smartphone?!

Whenever the Bluetooth feature is not being used the watches may simply be operated by pressing the respective buttons.

5601 | PRT-B50-1ER

Ø 51 mm

Step Tracker



- PRO TREK Connected



- Bluetooth
- LED
- 10°C
- 14°F
- DUPLX LCD
- 2667/1300
- 101+60°C
- 10000 m
- ALTI MEMO
- 1/10
- 1000 HR
- 24 HR
- MUTE
- 24
- MINERAL GLASS
- R
- 10 BAR
- 1/100
- LINK
- PHONE FINDER
- 24
- MINERAL GLASS
- R
- BATT
- 2 YRS
- 10 BAR

SHEEN

Feminine understatement

This range, by stylish design, trendy accent and precision workmanship puts down a marker for superior, feminine understatement in watch matters. Crafted with utmost care, SHEEN will make an impression owing to exquisite materials.

2744 | SHE-4543GL-8AUER

Ø 28 mm
Ionised case
Sapphire crystal



4 549526 311628



2744 | SHE-4540CM-3AUER

Ø 28 mm
Ionised case
and band



4 549526 341090



2744 | SHE-4539SM-2AUER

Ø 34 mm



4 549526 341069



2744 | SHE-4539GM-9AUER

Ø 34 mm
Ionised case
and band



4 549526 341076



2718 | SHE-4554M-7AUER

Ø 30 mm



4 549526 346972



NEW

2718 | SHE-4554GM-9AUER

Ø 30 mm
Ionised case
and band



4 549526 346941



NEW

5688 | SHE-4550PG-4AUER

Ø 32 mm
Ionised case
and band



4 549526 341120



2744 | SHE-4539CM-4AUER

Ø 34 mm
Ionised case
and band



4 549526 341083



5218 | SHE-4533D-7AUER

Ø 30 mm



4 549526 259906



2364 | SHE-3517SG-4AUER

Ø 35 mm
Ionised bezel
Sapphire crystal



4 549526 320088



5688 | SHE-4550G-9AUER

Ø 32 mm
Ionised case
and band



4 549526 341137



5688 | SHE-4550D-2BUER

Ø 32 mm



4 549526 341113



5688 | SHE-4550D-2AUER

Ø 32 mm



4 549526 341106



2364 | SHE-3517PGL-9AUER

Ø 35 mm
Ionised case
Sapphire crystal



4 549526 320101



2364 | SHE-3517L-1AUER

Ø 35 mm



4 549526 320125



2364 | SHE-3517D-2AUER

Ø 35 mm



4 549526 320149



2364 | **SHE-3516SG-7AUEF**

Ø 35 mm
Ionised bezel



2364 | **SHE-3516PG-9AUEF**

Ø 35 mm
Ionised case and band



2364 | **SHE-3516D-7AUEF**

Ø 35 mm



2364 | **SHE-3516D-4AUEF**

Ø 35 mm



2364 | **SHE-3516D-2AUEF**

Ø 35 mm



2364 | **SHE-3516D-1AUEF**

Ø 35 mm



5456 | **SHE-3047PG-5AUER**

Ø 35 mm
Ionised case and band



5420 | **SHE-3806D-7AUER**

Ø 39 mm



2364 | **SHN-3013D-7AER**

Ø 35 mm



CASIO
RADIO-CONTROLLED
WATCHES

5161 | **LCW-M170TD-2AER**

Ø 40 mm
Sapphire crystal
Titanium



5161 | **LCW-M170TD-1AER**

Ø 40 mm
Sapphire crystal
Titanium



5161 | **LCW-M170TD-7AER**

Ø 40 mm
Sapphire crystal
Titanium



5161 | **LCW-M170DB-1AER**

Ø 40 mm
Ionised case and band
Sapphire crystal



5161 | **LCW-M170D-2AER**

Ø 40 mm



5161 | **LCW-M170D-1AER**

Ø 40 mm
Sapphire crystal



5161 | **LCW-M100TSE-1AER**

Ø 40 mm
Sapphire crystal
Titanium



RADIO-CONTROLLED WATCH MODELS

5161 | LCW-M100TSE-1A2ER

Ø 40 mm
Sapphire crystal
Titanium



SOLAR POWERED
RADIO CONTROLLED



4 549526 207853



5161 | LCW-M100DSE-2AER

Ø 40 mm
Sapphire crystal



SOLAR POWERED
RADIO CONTROLLED



4 971850 925460



5161 | LCW-M100DSE-1AER

Ø 40 mm
Sapphire crystal



SOLAR POWERED
RADIO CONTROLLED



4 971850 925446



RADIO-CONTROLLED WATCH MODELS

3477 | WV-200R-5AEF

Ø 48 mm



RADIO CONTROLLED



4 549526 347108



3477 | WV-200R-3AEF

Ø 48 mm



RADIO CONTROLLED



4 549526 347078



5110 | WVA-M650TD-1AER

Ø 44 mm
Titanium



SOLAR POWERED
RADIO CONTROLLED



4 971850 027379



5110 | WVA-M650D-2AER

Ø 44 mm



SOLAR POWERED
RADIO CONTROLLED



4 971850 027355



5110 | WVA-M650D-1AER

Ø 44 mm



SOLAR POWERED
RADIO CONTROLLED



4 971850 027331



3476 | WV-59RD-1AEF

Ø 39 mm



RADIO CONTROLLED



4 549526 305788



3476 | WV-59R-1AEF

Ø 39 mm



RADIO CONTROLLED



4 549526 305801



3477 | WV-200R-1AEF

Ø 48 mm



RADIO CONTROLLED



4 549526 307744



3477 | WV-200RD-1AEF

Ø 48 mm



RADIO CONTROLLED



4 549526 307720



3476 | WV-58RD-1AEF

Ø 44 mm



RADIO CONTROLLED



4 549526 305832



3476 | WV-58R-1AEF

Ø 44 mm



RADIO CONTROLLED



4 549526 305863



CASIO
VINTAGE
• SINCE 1974 •

The A1000MGN comes in an attractive gift box, which also contains an additional strap. Thanks to the "quick release" slider the wristband can be changed easily without special tools.



3479 | **A1000MGN-9ER**

Ø 38 mm
Ionised case



3472 | **A700WEGL-3AEF**

Ø 36 mm



3472 | **A700WEGL-5AEF**

Ø 36 mm



3472 | **A700WEGL-7AEF**

Ø 36 mm



3479 | **A1000M-1BEF**

Ø 38 mm



3479 | **A1000MCG-9EF**

Ø 38 mm
Ionised case and band



3479 | **A1000MG-9EF**

Ø 38 mm
Ionised case and band




3472 | **A700WEMG-9AEF**

Ø 36 mm
Ionised band



3472 | **A700WEM-7AEF**

Ø 36 mm



3472 | **A700WE-1AEF**

Ø 36 mm



3479 | **A1000MGA-5EF**

Ø 38 mm
Ionised case and band



3479 | **A1000MA-7EF**

Ø 38 mm



3479 | **A1000D-7EF**

Ø 38 mm



3298 | **A168XESG-9AEF**

Ø 36 mm



3298 | **A168XES-1BEF**

Ø 36 mm



3298 | **A168WERG-2AEF**

Ø 36 mm
Ionised band



3298 | A168WERB-2AEF

Ø 36 mm



3298 | A168WER-2AEF

Ø 36 mm



3298 | A168WEMB-1BEF

Ø 36 mm
Ionised band



3298 | A168WA-1YES

Ø 36 mm



593 | A158WEA-9EF

Ø 33 mm



593 | A158WEA-1EF

Ø 33 mm



3298 | A168WEGG-1BEF

Ø 36 mm
Ionised band



3298 | A168WEGB-1BEF

Ø 36 mm
Ionised band



3298 | A168WEM-7EF

Ø 36 mm



593 | A158WETB-1AEF

Ø 33 mm
Ionised band



593 | A158WETG-9AEF

Ø 33 mm
Ionised band



593 | A159WGEA-1EF

Ø 33 mm



3298 | A168WEM-2EF

Ø 36 mm



3298 | A168WEM-1EF

Ø 36 mm



3298 | A168WG-9EF

Ø 36 mm



593 | A164WA-1VES

Ø 35 mm



593 | A163WA-1QES

Ø 33 mm



3454 | B650WD-1AEF

Ø 41 mm



3503 | A100WEF-1AEF

Ø 33 mm



3503 | A100WEFG-9AEF

Ø 33 mm



3503 | A100WEL-1AEF

Ø 33 mm



3208 | CA-53WF-3BEF

Ø 34 mm



3208 | CA-53WF-2BEF

Ø 34 mm



3208 | CA-53WF-1BEF

Ø 34 mm



5696 | AQ-800ECGG-4AEF

Ø 32 mm
Ionised band



NEW

5696 | AQ-800ECGG-3AEF

Ø 32 mm
Ionised band



NEW

5696 | AQ-800EC-2AEF

Ø 32 mm



NEW

2888 | DBC-32D-1AES

Ø 37 mm



2888 | DBC-32-1AES

Ø 37 mm



5696 | AQ-800EG-9AEF

Ø 32 mm
Ionised band



5696 | AQ-800E-7AEF

Ø 32 mm



5696 | AQ-800E-1AEF

Ø 32 mm



1301 | AQ-230GA-9DMQYES

Ø 28 mm
Ionised band



1301 | AQ-230A-7DMQYES

Ø 28 mm



1301 | AQ-230A-1DMQYES

Ø 28 mm



3284 | LA680WEA-7EF

Ø 29 mm



3284 | LA680WEGA-9ER

Ø 29 mm
Ionised band



3284 | LA680WEL-3EF

Ø 29 mm



3191 | LA670WEGA-1EF

Ø 25 mm
Ionised band



3191 | LA670WETG-9AEF

Ø 25 mm
Ionised band



3191 | LA670WEMY-9EF

Ø 25 mm
Ionised band



3284 | LA680WEL-8EF

Ø 29 mm



3284 | LA680WEGE-5EF

Ø 29 mm



3284 | LA680WEGE-4EF

Ø 29 mm



3191 | LA670WEMB-1EF

Ø 25 mm
Ionised band



3191 | LA670WEM-7EF

Ø 25 mm




3191 | LA670WEFL-9EF

Ø 25 mm



3191 | LA670WEA-7EF

Ø 25 mm




3191 | LA670WEA-1EF

Ø 25 mm



3191 | LA670WEGA-9EF

Ø 25 mm
Ionised band



3191 | LA670WEFL-4A2EF

Ø 25 mm



3191 | LA670WEFL-3EF

Ø 25 mm



3191 | LA-11WR-5AEF

Ø 26 mm
Ionised band



CASIO
COLLECTION
MEN'S

3214 | W-S210H-1AVEG

Ø 44 mm



4 549526 287404



3511 | WS-1400H-4AVEF

Ø 45 mm



4 549526 321870



3511 | WS-1400H-3AVEF

Ø 45 mm



4 549526 321849



3511 | WS-1400H-1BVEF

Ø 45 mm



4 549526 321818



3507 | WS-1300H-8AVEF

Ø 51 mm



4 549526 313431



3507 | WS-1300H-2AVEF

Ø 51 mm



4 549526 313400



3507 | WS-1300H-1AVEF

Ø 51 mm



4 549526 313370



3511 | WS-1400H-1AVEF

Ø 45 mm



4 549526 321788



3299 | AE-1200WHD-1AVEF

Ø 42 mm



4 971850 968801



3299 | AE-1200WH-1CVEF

Ø 42 mm



4 549526 267826



3518 | WS-1500H-2AVEF

Ø 50 mm



4 549526 341984



NEW

3518 | WS-1500H-1AVEF

Ø 50 mm



4 549526 341953



NEW

3299 | AE-1200WH-1AVEF

Ø 42 mm



4 971850 968740



3198 | AE-1000WD-1AVEF

Ø 44 mm



4 971850 443407



3198 | AE-1000W-4BVEF

Ø 44 mm



4 549526 112133



3198 | AE-1000W-3AVEF

Ø 44 mm



3198 | AE-1000W-1BVEF

Ø 44 mm



3198 | AE-1000W-1AVEF

Ø 44 mm



5208 | AQ-S800W-1EVEF

Ø 42 mm



5208 | AQ-S800W-1BVEF

Ø 42 mm



5565 | HDC-700-3AVEF

Ø 49 mm



3502 | AE-1500WH-8BVEF

Ø 51 mm




3502 | AE-1500WH-5AVEF

Ø 51 mm



3416 | W-735H-1BVEF

Ø 47 mm



3487 | MWD-100HB-1BVEF

Ø 51 mm



3502 | AE-1500WH-1AVEF

Ø 51 mm



5208 | AQ-S810W-1AVEF

Ø 47 mm



3517 | MWD-110H-8BVEF

Ø 47 mm



3517 | MWD-110H-3AVEF

Ø 47 mm



3517 | MWD-110H-1AVEF

Ø 47 mm



3092 | W-800H-1BVES

Ø 37 mm



3092 | W-800H-1AVES

Ø 37 mm



593 | F-91W-1YEG

Ø 33 mm



1275 | F-105W-1AWYEF

Ø 39 mm



3294 | W-202-1AVEF

Ø 35 mm



3224 | W-218HC-8AVEF

Ø 43 mm



3224 | W-218HC-4AVEF

Ø 43 mm



3224 | W-218HC-4A2VEF

Ø 43 mm



3224 | W-218HC-2AVEF

Ø 43 mm



3224 | W-218H-3AVEF

Ø 43 mm



3224 | W-218H-1AVEF

Ø 43 mm



3454 | W-217HM-9AVEF

Ø 41 mm



3454 | W-217HM-7BVEF

Ø 41 mm



3454 | W-217HM-5AVEF

Ø 41 mm



3224 | W-219H-4AVEF

Ø 47 mm



3224 | W-219H-2AVEF

Ø 47 mm



3224 | W-219H-2A2VEF

Ø 47 mm



3224 | W-219H-1AVEF

Ø 47 mm



3224 | W-219H-1A2VEF

Ø 47 mm



590 | W-59-1VQES

Ø 34 mm



1330 | MQ-24UC-3BEF

Ø 35 mm



1330 | MQ-24UC-2BEF

Ø 35 mm



1330 | MQ-24-7BLEG

Ø 34 mm



1330 | MQ-24S-8BEF

Ø 35 mm



NEW

1330 | MQ-24S-7BEF

Ø 35 mm



NEW

1330 | MQ-24S-4BEF

Ø 35 mm



NEW

1330 | MQ-24-7B2LEG

Ø 34 mm



1330 | MQ-24-1BLEG

Ø 34 mm



1330 | MQ-24-1B3LLEG

Ø 34 mm



1330 | MQ-24S-2BEF

Ø 35 mm



NEW

1330 | MQ-24UC-8BEF

Ø 35 mm



1330 | MQ-24UC-4BEF

Ø 35 mm



1330 | MW-240-7EVEF

Ø 44 mm



1330 | MW-240-1EVEF

Ø 44 mm



1330 | MW-240-1E2VEF

Ø 44 mm



5577 | MWA-100HD-1AVEF

Ø 51 mm



LED ACRYL GLASS SS/R PUSH 10 BAR

5577 | MWA-100H-1AVEF

Ø 51 mm



LED ACRYL GLASS SS/R R 10 BAR

5125 | MRW-200H-1BVEG

Ø 45 mm



NEO WEEK DAY DATE ACRYL GLASS R R 10 BAR

2784 | MDV-107-1A3VEF

Ø 44 mm



NEO DATE MINERAL GLASS SOLID SS R 20 BAR

2784 | MDV-107-1A2VEF

Ø 44 mm



NEO DATE MINERAL GLASS SOLID SS R 20 BAR

5577 | MWA-100HB-1AVEF

Ø 50 mm



LED ACRYL GLASS IP R 10 BAR

NEW

5474 | MRW-210H-5AVEF

Ø 53 mm



NEO WEEK DAY DATE ACRYL GLASS R 10 BAR

2784 | MDV-107-1A1VEF

Ø 44 mm



NEO DATE MINERAL GLASS SOLID SS R 20 BAR

2784 | MTD-1053D-2AVES

Ø 43 mm



NEO DATE MINERAL GLASS SOLID SS R 20 BAR

2784 | MTD-1053D-1AVES

Ø 43 mm



NEO DATE MINERAL GLASS SOLID SS R 20 BAR

5474 | MRW-210H-3AVEF

Ø 53 mm



NEO WEEK DAY DATE ACRYL GLASS R 10 BAR

5125 | MRW-200HD-7BVEF

Ø 45 mm



NEO WEEK DAY DATE ACRYL GLASS R 10 BAR

5125 | MRW-200HD-1BVEF

Ø 45 mm



NEO WEEK DAY DATE ACRYL GLASS R 10 BAR

2784 | MTP-E700D-7EVEF

Ø 40 mm



NEO DATE MINERAL GLASS SOLID SS R 5 BAR

2784 | MTP-E700D-1EVEF

Ø 40 mm



NEO DATE MINERAL GLASS SOLID SS R 5 BAR

5340 | MTP-E173D-7AVEF

Ø 42 mm



NEO DATE MINERAL GLASS SOLID SS R 5 BAR

5340 | MTP-E173RL-5AVEF

Ø 42 mm



NEO DATE MINERAL GLASS SOLID SS IP CASE GL WATER RESIST 5 BAR

5340 | MTP-E173L-7AVEF

Ø 42 mm



NEO DATE MINERAL GLASS SOLID SS GL WATER RESIST 5 BAR

5340 | MTP-E173BL-1AVEF

Ø 42 mm
Ionised case



NEO DATE MINERAL GLASS SOLID SS IP CASE GL WATER RESIST 5 BAR

2784 | MTP-1221A-1AVEG

Ø 39 mm



NEO DATE MINERAL GLASS SOLID SS WATER RESIST 5 BAR

2784 | MTP-1259PD-7BEG

Ø 38 mm



NEO DATE MINERAL GLASS BR SS WATER RESIST 5 BAR WR

2784 | MTP-1259PD-1AEG

Ø 38 mm



NEO DATE MINERAL GLASS BR SS WATER RESIST 5 BAR WR

5340 | MTP-E173B-1AVEF

Ø 42 mm
Ionised case and band



NEO DATE MINERAL GLASS SOLID SS IP CASE SS BAND WATER RESIST 5 BAR

5361 | MTP-E180D-3AVEF

Ø 42 mm



NEO MINERAL GLASS SOLID SS WATER RESIST 5 BAR

5361 | MTP-E180D-2AVEF

Ø 42 mm



NEO MINERAL GLASS SOLID SS WATER RESIST 5 BAR

1330 | MTP-1260PD-7BEG

Ø 40 mm



NEO MINERAL GLASS BR SS WATER RESIST 5 BAR WR

1330 | MTP-1260PD-1BEG

Ø 40 mm



NEO MINERAL GLASS BR SS WATER RESIST 5 BAR WR

5361 | MTP-E180L-5AVEF

Ø 42 mm



NEO MINERAL GLASS SOLID SS GL WATER RESIST 5 BAR

5361 | MTP-E180L-2AVEF

Ø 42 mm



NEO MINERAL GLASS SOLID SS GL WATER RESIST 5 BAR

1332 | MTP-1183PA-1AEG

Ø 39 mm



DATE MINERAL GLASS BR SS WATER RESIST 5 BAR WR

2784 | MTP-1302PSG-7AVEF

Ø 39 mm



NEO DATE MINERAL GLASS BR SS 5 BAR

2784 | MTP-1302PD-7A1VEF

Ø 39 mm



NEO DATE MINERAL GLASS BR SS 5 BAR

1330 | MTP-1303PD-2AVEG

Ø 40 mm



NEO MINERAL GLASS BR SS 5 BAR

1330 | MTP-1303PD-1AVEG

Ø 40 mm



NEO MINERAL GLASS BR SS 5 BAR

1330 | MTP-1303PL-7BVEG

Ø 40 mm



NEO MINERAL GLASS BR GL 5 BAR

2784 | MTP-1302PD-2AVEF

Ø 39 mm



NEO DATE MINERAL GLASS BR SS 5 BAR

2784 | MTP-1302PD-2A2VEF

Ø 39 mm



NEO DATE MINERAL GLASS BR SS 5 BAR **NEW**

2784 | MTP-1302PD-3AVEF

Ø 39 mm



NEO DATE MINERAL GLASS BR SS 5 BAR **NEW**

1330 | MTP-1303PL-1AVEG

Ø 40 mm



NEO MINERAL GLASS BR GL 5 BAR

2784 | MTP-1308PD-1BVEG

Ø 44 mm



NEO DATE MINERAL GLASS BR SS 5 BAR

1330 | MTP-1310PD-2BVEG

Ø 39 mm



NEO MINERAL GLASS BR SS 5 BAR

2784 | MTP-1302PD-1A1VEF

Ø 39 mm



NEO DATE MINERAL GLASS BR SS 5 BAR

2784 | MTP-1302PL-7BVEF

Ø 39 mm



NEO DATE MINERAL GLASS BR GL 5 BAR

2784 | MTP-1302PL-1AVEF

Ø 39 mm



NEO DATE MINERAL GLASS BR GL 5 BAR

1330 | MTP-1310PD-7BVEG

Ø 39 mm



NEO MINERAL GLASS BR SS 5 BAR

2784 | MTP-1314PD-1AVEF

Ø 45 mm



2784 | MTP-1314PL-8AVEF

Ø 45 mm



2784 | MTP-1314PL-7AVEF

Ø 45 mm



CASIO
COLLECTION
WOMEN'S

593 | F-91WS-8EF

Ø 33 mm



593 | F-91WS-7EF

Ø 33 mm



5339 | MTP-1384D-7AVEF

Ø 41 mm



5339 | MTP-1384D-2AVEF

Ø 41 mm



5339 | MTP-1384D-1AVEF

Ø 41 mm



593 | F-91WS-4EF

Ø 33 mm



593 | F-91WS-2EF

Ø 33 mm



5339 | MTP-1384L-7AVEF

Ø 41 mm
Ionised case



5339 | MTP-1384L-1AVEF

Ø 41 mm
Ionised case



3284 | LA-20WHS-7AEF

Ø 30 mm



3284 | LA-20WHS-4AEF

Ø 30 mm



3284 | LA-20WHS-2AEF

Ø 30 mm



3284 | LA-20WH-4A1EF

Ø 30 mm



3284 | LA-20WH-2AEF

Ø 30 mm



3455 | LW-203-8AVEF

Ø 35 mm




3440 | STL-S300H-1BEF

Ø 36 mm



SOLAR POWERED




3440 | STL-S300H-1AEF

Ø 36 mm



SOLAR POWERED



3363 | LRW-200H-7E2VEF

Ø 34 mm



3455 | LW-203-4AVEF

Ø 35 mm



3455 | LW-203-2AVEF

Ø 35 mm



3455 | LW-203-1BVEF

Ø 35 mm



3363 | LRW-200H-4BVEF

Ø 34 mm



3363 | LRW-200H-1BVEF

Ø 34 mm



1330 | MQ-38UC-8AER

Ø 27 mm



3294 | LW-204-4AEF

Ø 35 mm



3294 | LW-204-1BEF

Ø 35 mm



3294 | LW-204-1AEF

Ø 35 mm



1330 | MQ-38UC-4AER

Ø 27 mm



1330 | MQ-38UC-2A2ER

Ø 27 mm



1330 | MQ-38UC-2A1ER

Ø 27 mm



1330 | LTP-1234PSG-7AEG

Ø 21 mm



MINERAL GLASS BR SS PUSH 3 YRS WR

1330 | LTP-1234PG-7AEG

Ø 21 mm



MINERAL GLASS BR SS PUSH 3 YRS WR

1330 | LTP-1234PD-7BEG

Ø 21 mm



MINERAL GLASS BR SS PUSH 3 YRS WR

1331 | LTP-1141PA-7BEG

Ø 30 mm



DATE MINERAL GLASS BR SS 3 YRS WR

1330 | LTP-1177PA-2AEG

Ø 25 mm



MINERAL GLASS BR SS 3 YRS WR

1330 | LTP-1154PQ-7BEG

Ø 23 mm



MINERAL GLASS BR GL 3 YRS WR

1330 | LTP-1234PL-7A2EF

Ø 21 mm



MINERAL GLASS BR GL 3 YRS WR

NEW

1330 | LTP-1234PGL-7AEG

Ø 21 mm



MINERAL GLASS BR GL 3 YRS WR

1330 | LTP-1234PGL-7A2EF

Ø 21 mm



MINERAL GLASS BR GL 3 YRS WR

NEW

3363 | LTP-1259PD-7BEG

Ø 28 mm



NEO DATE MINERAL GLASS BR SS 3 YRS WR

3363 | LTP-1259PD-2AEG

Ø 28 mm



NEO DATE MINERAL GLASS BR SS 3 YRS WR

3363 | LTP-1259PD-1AEG

Ø 28 mm



NEO DATE MINERAL GLASS BR SS 3 YRS WR

1330 | LTP-1281PG-7AEG

Ø 22 mm



MINERAL GLASS BR SS 3 YRS WR

1330 | LTP-1129PA-7BEG

Ø 26 mm



MINERAL GLASS BR SS 3 YRS WR

1330 | LTP-1128PA-7BEG

Ø 27 mm



MINERAL GLASS BR SS 3 YRS WR

1330 | LTP-1263PG-7BEG

Ø 27 mm



MINERAL GLASS BR SS 3 YRS WR

3363 | LTP-1302PRG-7AVEF

Ø 30 mm
Ionised band



4 549526 344169 **NEW**

NEO DATE MINERAL GLASS BR IP 5 BAR

3363 | LTP-1302PRG-3AVEF

Ø 30 mm
Ionised band



4 549526 344152 **NEW**

NEO DATE MINERAL GLASS BR IP 5 BAR

3363 | LTP-1302PRG-2AVEF

Ø 30 mm
Ionised band



4 549526 344145 **NEW**

NEO DATE MINERAL GLASS BR IP 5 BAR

3363 | LTP-1308PD-1BVEG

Ø 31 mm



4 549526 342738

NEO DATE MINERAL GLASS BR IP 5 BAR

1330 | LTP-1303PL-7BVEG

Ø 30 mm



4 549526 341007

NEO MINERAL GLASS BR GL IP 5 BAR

1330 | LTP-1310PD-7BVEG

Ø 28 mm



4 549526 341014

NEO MINERAL GLASS BR IP 5 BAR

3363 | LTP-1302PSG-7AVEG

Ø 30 mm
Ionised band



4 549526 340987

NEO DATE MINERAL GLASS BR IP 5 BAR

1330 | LTP-1303PD-7BVEG

Ø 30 mm



4 549526 340994

NEO MINERAL GLASS BR IP 5 BAR

3363 | LTP-1302PD-7BVEG

Ø 30 mm



4 549526 340963

NEO DATE MINERAL GLASS BR IP 5 BAR

1330 | LTP-1310PD-2BVEG

Ø 28 mm



4 549526 342745

NEO MINERAL GLASS BR IP 5 BAR

1343 | LTP-2069D-4AVEG

Ø 31 mm



4 549526 287664

WEEK DAY DATE MINERAL GLASS BR IP 5 BAR

3363 | LTP-1302PD-7A1VEG

Ø 30 mm



4 549526 340956

NEO DATE MINERAL GLASS BR IP 5 BAR

3363 | LTP-1302PD-1A1VEG

Ø 30 mm



4 549526 340949

NEO DATE MINERAL GLASS BR IP 5 BAR

3363 | LTP-1302PL-7BVEG

Ø 30 mm



4 549526 340970

NEO DATE MINERAL GLASS BR GL IP 5 BAR

WAKE UP
TIMER

DQ-750-8ER

Width: 109 mm



DQ-747-8EF

Width: 96 mm



PQ-30B-7EF

Width: 55 mm



PQ-30B-1EF

Width: 55 mm



PQ-30-8EF

Width: 55 mm



DQ-543B-1EF

Width: 96 mm



PQ-31-8EF

Width: 87 mm




PQ-31-7EF

Width: 87 mm




PQ-31-2EF

Width: 87 mm



PQ-31-1EF

Width: 87 mm



TQ-140 alarm clock set:

The clockset contains 12 TQ-140 models in a package. 6 black, 2 red alarm and 4 white clocks will be delivered in an eye-catching dispenser.

TQ-140WECKPAKET



4 971850 861782

TQ-140-1EF

Width: 57 mm



TQ-140-4EF

Width: 57 mm



TQ-140-7EF

Width: 57 mm



TQ-140-1BEF

Width: 57 mm



TQ-141-8EF

Width: 64 mm



TQ-141-4EF

Width: 64 mm



TQ-143S-8EF

Width: 76 mm



TQ-143S-1EF

Width: 76 mm



TQ-141-2EF

Width: 64 mm



TQ-141-1EF

Width: 64 mm



TQ-142-7EF

Width: 72 mm



TQ-148-2EF

Width: 61 mm



TQ-148-1EF

Width: 61 mm



TQ-142-4EF

Width: 72 mm



TQ-142-2EF

Width: 72 mm



TQ-142-1EF

Width: 72 mm



TQ-218-8EF

Width: 107 mm



TQ-218-2EF

Width: 107 mm



TQ-266-8EF

Width: 120 mm



TQ-266-1EF

Width: 120 mm



TQ-359-1EF

Width: 120 mm



TQ-369-7EF

Width: 130 mm



TQ-359-2EF

Width: 120 mm



HS-80 | HS-80TW-1EF

Ø 64 mm



HS-3 | HS-3V-1RET

Ø 64 mm



Model	Page	Model	Page	Model	Page	Model	Page	Model	Page
A		AE-1500WH-8BVEF	60	ECB-900DB-1AER	29	EFV-620D-2AVUEF	34	GBA-900UU-5AER	17
A1000D-7EF	48	AQ-230A-1DMQYES	55	ECB-900DB-1BER	29	EFV-620L-1AVUEF	34	GBD-200-1ER	16
A1000M-1BEF	48	AQ-230A-7DMQYES	55	ECB-900MP-1AEF	29	EFV-C100D-1AVEF	37	GBD-200-2ER	16
A1000MA-7EF	48	AQ-230GA-9DMQYES	55	ECB-950DB-1AEF	29	EFV-C100D-2AVEF	37	GBD-200-9ER	16
A1000MCG-9EF	48	AQ-800E-1AEF	54	ECB-950DB-2AEF	29	EFV-C110D-1A3VEF	37	GBD-200UU-1ER	16
A1000MG-9EF	48	AQ-800E-7AEF	54	ECB-950DC-1AEF	28	EFV-C110D-1A4VEF	37	GBD-200UU-9ER	16
A1000MGA-5EF	48	AQ-800EC-2AEF	54	ECB-950MP-1AEF	28	EFV-C110D-2AVEF	37	GBD-800-1BER	18
A1000MGN-9ER	48	AQ-800ECGG-3AEF	54	EF-129D-1AVEF	36	EFV-C110L-1AVEF	37	GBD-800-8ER	18
A100WE-1AEF	53	AQ-800ECGG-4AEF	54	EF-129D-2AVEF	36	EQB-1100D-1AER	26	GBD-800UC-3ER	18
A100WE-7BEF	53	AQ-800EG-9AEF	54	EF-316D-1AVEG	36	EQB-2000DB-1AER	26	GBD-800UC-5ER	18
A100WEF-1AEF	54	AQ-5800W-1BVEF	61	EF-527D-1AVEF	34	EQB-2000DC-1AER	26	GBD-800UC-8ER	17
A100WEF-3AEF	53	AQ-5800WD-1EVEF	61	EF-527D-2AVUEF	34	F		GBD-H2000-1A9ER	15
A100WEF-8AEF	53	AQ-5810W-1AVEF	60	EF-527D-3AVUEF	34	F-105W-1AWYEF	62	GBD-H2000-1AER	16
A100WEG-9AEF	54	AWG-M100A-1AER	13	EF-539D-1AVEF	33	F-91W-1YEG	62	GBD-H2000-1BER	15
A100WEG-9AEF	53	AWG-M100B-1AER	13	EFB-108D-1AVUEF	31	F-91WS-2EF	73	GBD-H2000-2ER	15
A100WEGG-1A2EF	53	AWG-M100SB-2AER	13	EFB-108D-7AVUEF	31	F-91WS-4EF	73	GLX-5600RT-4ER	8
A100WEGG-1AEF	53	B		EFB-108D-7AVUEF	31	F-91WS-7EF	73	GLX-5600RT-9ER	8
A100WEL-1AEF	54	B640WB-1BEF	52	EFB-700D-1AVUEF	31	F-91WS-8EF	73	GM-2100-1AER	4
A158WEA-1EF	51	B640WC-5AEF	52	EFB-700D-2AVUEF	31	G		GM-2100B-3AER	4
A158WEA-9EF	51	B640WD-1AVEF	52	EFB-700D-8AVUEF	31	G-2900F-1VER	14	GM-2100BB-1AER	3
A158WETB-1AEF	51	B650WD-1AEF	51	EFR-526D-1AVUEF	33	GA-100-1A1ER	12	GM-2100C-5AER	3
A158WETG-9AEF	51	BA-110X-1AER	24	EFR-526D-7AVUEF	33	GA-100-1A2ER	12	GM-2100CB-1AER	3
A159WGEA-1EF	51	BA-110X-7A1ER	24	EFR-526L-1AVUEF	33	GA-100-1A4ER	12	GM-2100CB-3AER	3
A163WA-1QES	51	BA-130-7A1ER	24	EFR-539D-1A2VUEF	33	GA-100B-4AER	12	GM-2100G-1A9ER	4
A164WA-1VES	51	BGD-565-1ER	25	EFR-539D-1A2VUEF	33	GA-100B-7AER	11	GM-2100N-2AER	4
A168WA-1YES	51	BGD-565-4ER	25	EFR-552D-1AVUEF	33	GA-100RB-1AER	11	GM-5600-1ER	7
A168WEGB-1BEF	50	BGD-565-7ER	25	EFR-552D-1AVUEF	33	GA-110-1BER	11	GM-S110-1AER	22
A168WEGG-1BEF	50	BGD-5650-1ER	25	EFR-556D-1AVUEF	32	GA-110GB-1AER	11	GM-S110B-8AER	22
A168WEM-1EF	50	BGD-5650-7ER	25	EFR-556DB-1AVUEF	32	GA-140-1A1ER	13	GM-S110LB-2AER	22
A168WEM-2EF	50	BGD-5655-7ER	25	EFR-556DB-2AVUEF	32	GA-140-6AER	13	GM-S110PG-1AER	22
A168WEM-7EF	50	BGD-5655C-2ER	24	EFR-556L-1AVUEF	32	GA-2100-1A1ER	5	GM-S2100-3AER	19
A168WEMB-1BEF	50	BGD-5655C-3ER	24	EFR-571D-1AVUEF	32	GA-2100-1A2ER	5	GM-S2100B-8AER	19
A168WER-2AEF	50	BGD-5655C-4ER	24	EFR-571DB-1A1VUEF	32	GA-2100-1A3ER	5	GM-S2100GB-1AER	19
A168WERB-2AEF	50	C		EFR-573D-2AVUEF	32	GA-2100-1A4ER	5	GM-S2100PG-1A4ER	19
A168WERG-2AEF	49	CA-53WF-1BEF	55	EFR-573DB-1AVUEF	32	GA-2100-1AER	4	GM-S5600-1ER	21
A168WG-9EF	50	CA-53WF-2BEF	55	EFR-S107D-1AVUEF	32	GA-2100-4AER	5	GM-S5600PG-1ER	21
A168XES-1BEF	49	CA-53WF-3BEF	55	EFR-S108D-1AVUEF	32	GA-2100SKE-7AER	4	GM-S5600PG-4ER	21
A168XESG-9AEF	49	D		EFR-S108D-7AVUEF	31	GA-2100SU-1AER	5	GMA-S110GS-3AER	22
A171WE-1AEF	52	DBC-32-1AES	55	EFS-S510D-2AVUEF	31	GA-2110ET-8AER	6	GMA-S110GS-8AER	22
A171WEG-9AEF	52	DBC-32D-1AES	55	EFS-S540DB-1AUUEF	30	GA-2110SU-3AER	6	GMA-S110SR-7AER	22
A171WEGG-1AEF	52	DQ-543B-1EF	80	EFS-S620BL-1AVUEF	30	GA-2200BB-1AER	13	GMA-S120GS-3AER	22
A171WEMB-1AEF	52	DQ-747-8EF	80	EFS-S620DB-1AVUEF	30	GA-700-1BER	14	GMA-S140M-1AER	23
A171WEMG-9AEF	52	DQ-750-8ER	80	EFS-S620DB-1BVUEF	30	GA-710GB-1AER	14	GMA-S140M-4AER	23
A700WE-1AEF	49	DW-5600BB-1ER	8	EFV-100D-1AVUEF	36	GA-B001-1AER	11	GMA-S140M-7AER	23
A700WEG-3AEF	49	DW-5600E-1VER	8	EFV-100D-2AVUEF	36	GA-B001-4AER	11	GMA-S2100-1AER	21
A700WEG-5AEF	49	DW-5600SKE-7ER	7	EFV-540D-1A2VUEF	36	GA-B001G-1AER	10	GMA-S2100-4A2ER	21
A700WEG-7AEF	49	DW-B5600G-1ER	10	EFV-540D-1AVUEF	36	GA-B001G-2AER	10	GMA-S2100-4AER	21
A700WEM-7AEF	49	DW-B5600G-2ER	10	EFV-540D-7AVUEF	36	GA-B2100-1A1ER	7	GMA-S2100-7AER	20
A700WEMG-9AEF	49	DW-B5600G-7ER	10	EFV-550GY-8AVUEF	35	GA-B2100-1AER	7	GMA-S2100BA-2A1ER	20
AE-1000W-1AVEF	60	E		EFV-550P-1AVUEF	35	GA-B2100-2AER	7	GMA-S2100BA-2A2ER	20
AE-1000W-1BVEF	60	ECB-2000D-1AEF	27	EFV-560D-1AVUEF	35	GA-B2100-3AER	6	GMA-S2100BA-3AER	20
AE-1000W-3AVEF	60	ECB-2000DC-1AEF	27	EFV-560D-2AVUEF	35	GA-B2100C-9AER	6	GMA-S2100BA-4AER	20
AE-1000W-4BVEF	59	ECB-2000PB-1AEF	26	EFV-580D-1AVUEF	35	GAW-100B-1A2ER	12	GMA-S2100GA-1AER	19
AE-1000WD-1AVEF	59	ECB-30D-1AEF	28	EFV-600D-2AVUEF	35	GAW-100B-1AER	12	GMA-S2100GA-3AER	19
AE-1200WH-1AVEF	59	ECB-30D-2AEF	28	EFV-610D-1AVUEF	35	GBA-800-1AER	18	GMA-S2100GA-7AER	19
AE-1200WH-1CVEF	59	ECB-30P-1AEF	28	EFV-610D-3CVUEF	35	GBA-800-9AER	18	GMA-S2100SK-1AER	20
AE-1200WHD-1AVEF	59	ECB-40DC-1AEF	27	EFV-610D-5CVUEF	35	GBA-900-1AER	17	GMA-S2100SK-2AER	20
AE-1500WH-1AVEF	60	ECB-40MP-1AEF	27	EFV-620D-1A2VUEF	34	GBA-900-7AER	17	GMA-S2100SK-4AER	20
AE-1500WH-5AVEF	60	ECB-40P-1AEF	27	EFV-620D-1A4VUEF	34	GBA-900UU-3AER	17	GMA-S2100SK-7AER	20

STORAGE FUNCTIONS

- Telememo**
Built-in memory provides storage for names and telephone numbers. The value indicates the maximum number of entries that can be stored.
- e-Data memory**
Data memory for Web- and e-mail addresses. The figure under the symbol specifies the data storage capacity. The Secret function uses a PIN code to guard against unwarranted access.

OUTDOOR FUNCTIONS

- Barometer**
A built-in pressure sensor measures barometric pressure, which is shown on the display.
- Thermometer**
A built-in temperature sensor measures the temperature.
- Compass**
A built-in direction sensor detects the magnetic north.
- Location Indicator**
The location indicator indicates the direction and distance of a previously stored location. This function can be very useful, if you got lost and you want to get back to a cabin, a lake or a car.
- Mission Log**
After activating the Mission Log function, route and altitude profile are stored in the smartphone and can be displayed on a map. In addition, photos are automatically stored in a Mission Log when they are made during a tour storage.
- Altitude measurement**
A built-in pressure sensor measures barometric pressure, which is converted to relative altitude. The figure under the symbol indicates the maximum measurable altitude.
- Altitude addition**
The altitude addition function counts all the metres that have been ascended, giving you the difference between the starting and stopping altitude at a glance.
- Altimeter data memory**
Depending on the model, up to 40 sets of elevation data can be stored in the watch's data memory and re-accessed at any time. Each of these data sets consists of a measured altitude as well as the date and time. In addition to the individual altitudes, the maximum and minimum altitudes during a measurement are also stored.

- Moon age display**
Moon age and phase are shown on the display based on your current latitude and longitude.
- Tide graph display**
Once the high tide time has been entered for a selected location, the watch can display low and high tide phases at this location on any given date. This can be quite useful, for example, if you want to know the tide patterns at your destination in advance.
- Acceleration sensor**
The motion sensor responds to acceleration and shows this as a speed on the display. The sensor also supports the auto rotation function of the watch, ensuring that the image is always displayed the right way up on the display.
- Sunrise/sunset display**
Sunrise and sunset times are displayed based on your current latitude and longitude.
- GPS speed-distance measurement**
High-tech for demanding runners: The watch uses GPS technology to measure the current running speed and distance covered. All data are individually indicated on the display.
- Fishing Timer**
Know when they are biting. The watch displays a fish symbol when it is the perfect time for fishing.
- Activity App**
The watch has several workout modes that can be set in advance to individually evaluate and control the corresponding activity. For example, the "Swimming" mode focuses more on calorie consumption and distance, whereas the "Running" mode focuses on heart rate and speed.

CALCULATION FUNCTIONS

- 8-digit calculator**
Various mathematical calculations using values up to eight digits long.
- Currency converter**
Foreign currency translations are calculated according to predefined exchange rates.
- Slide rule function**
By means of the slide rule function various calculations are possible, e.g. flight distance, speed, or fuel consumption. The slide rule function is mostly used on aviator watches.

SPECIAL TIME FUNCTIONS

- World time**
Displays the current time in major cities and specific areas around the world.
- Dual time**
Simultaneous display of the current time in two different time zones.
- Dual time display**
The dual time display allows you to read a second time at a single glance.
- 4 time zones display**
Local times can be called up quickly and easily for four different time zones.
- 12/24-hour timekeeping**
Times can be displayed in either a 12-hour or 24-hour format.

STOPWATCH FUNCTIONS

- Stopwatch**
Accurate measurement of elapsed time with the touch of a button.
- Referee function (referee stop watch)**
By using the referee function you can determine the amount of injury time. The actual amount of playing time and the total time is displayed simultaneously.
- Lap memory**
Up to 300 items of data comprising the date and lap times can be stored here for later retrieval.

COUNTDOWN TIMER

- Countdown timer**
A stopwatch that counts backwards: When 0 minutes, 0 seconds is reached, the timer emits a 10-second signal tone.
- Countdown timer with automatic repeat function**
As soon as the countdown stopwatch reaches 0 minutes and 0 seconds and indicates this by emitting a signal tone, it automatically returns to the preset time value and begins counting backwards again. This function is particularly useful for people who need to take regular medication (e. g. every half hour).
- Timer for measuring intervals**
The timer allows you to define and set up to nine individual countdown times to run successively. This is helpful for things like interval training (e.g. 3 minutes of running, 2 minutes of walking, a 1-minute break).
- Yacht timer**
The perfect prerequisite to every regatta and yacht race: The countdown start time can be set within a period of 1 to 10 minutes, usually 5 minutes. An audible signal sounds once after every elapsed minute. For the last ten seconds before the start, the signal sounds every second.
- Schedule-Timer**
Always keep an eye on appointments with the „Schedule Timer“. The appointments from the smartphone calendar are transferred to the watch and shown on the display with the start and end times. In addition, these will appear on the watch 120 minutes before the start announced and counted down.
- Preset timer**
Allows you to call up and apply preset times for different kinds of sports.

ALARM

- Daily alarm, hourly time signal**
The daily alarm sounds each day at the time you set. The hourly time signal causes the watch to beep every hour on the hour.
- 12 daily alarms**
The daily alarm reminds you of events that recur every day, by emitting an audible signal at the set time. This model has over twelve independent alarms that can be used flexibly to remind you of important appointments.
- Multi alarm, hourly time signal**
A total of four different alarm types are available: 1. Daily alarm; 2. Monthly alarm; 3. Alarm for a particular time each day of a particular month; 4. Date alarm.
- Snooze feature**
Each time you stop the alarm, it sounds again after a few minutes.
- Vibration alert**
The vibration alarm discreetly reminds you of important appointments, without emitting a loud signal.
- Bell alarm**
A bell tone alarm sounds at the time you set.

SPECIAL FUNCTIONS

- Automatic hand adjustment**
The automatic hand adjustment function checks the home position of the hands every hour and corrects it if necessary – either by adjusting e.g. from shocks or using the influence of magnetism.
- Hand moving function**
With a push of a button, hands are moving and permit a free visibility of functions like stopwatch or date.

- Crown button lock**
Secures the crown button from accidental change to another mode of operation.
- Button tone on/off**
If desired, the button tone can be turned off with the mode button. When switching from one function to another, the beep tone won't be heard any more. Pre-set alarms or countdown timer are still active after turning-off the button tone.
- SMART ACCESS technology**
The SMART ACCESS system allows the watch to be set quickly and intuitively with an electronic crown. Functions like the stopwatch, countdown timer, alarm and world time can easily be operated by pressing and turning the crown.
- Flight log memory**
At the touch of a button, the current location including GPS data, time, and date are recorded in the flight log memory. This function may be very helpful, e.g. for pilots in order to document their deployments and display them on the map.

BATTERY

- Battery level indicator**
Indicator shows the current battery level.
- Low Battery Warning**
A warning appears on the display whenever the battery power drops below a certain level.
- Battery life**
The number within the icon gives the approximate battery life in years, assuming normal usage.

CALENDAR

- Full auto calendar**
Allowances are made automatically for months of different lengths, in case date corrections for leap years are required.
- Date display**
Display of the current date with analogue watches.
- Date and weekday display**
Display of the date and day of the week with analogue watches.
- Display of the day in different languages**
The name of the day can be displayed in different languages.

GLASSES

- Mineral glass**
Hard glass resists scratching.
- Sapphire crystal**
This glass is made using artificial sapphires for high-clarity and a scratch-resistant surface.
- Acrylic glass**
- Spherical glass**
The surface of the glass is rounded.

SPECIAL FEATURES

- Screw lock back**
- Titanium case back**
- Sustainable resin case back**
- Case back with DLC finish**
- Screw lock crown**
- Anti-reverse bezel**
- Direction bezel**
- USB Charger**

CASE

- Solid stainless steel case**
- Stainless steel resin case**
- Resin case**
- Titanium resin case**
- Solid titanium case**
- Brass case**

- Carbon fiber case**
- Carbon-reinforced resin casing**
- Carbon-reinforced stainless steel case**
- Glass fiber reinforced resin case combined with stainless steel**
- Sustainable resin case**

WRISTBANDS

- Resin band**
- Cloth band**
- Stainless steel band**
- Solid stainless steel band**
- Imitation leather band**
- Genuine leather band**
- Resin link watch strap**
- Titanium band**
- Solid titanium band**
- Milanaisé band**
- Mesh band**
- Sustainable resin band**
- Included: 1 additional bracelet**

FINISHING

- Bezel with IP finish**
- Case with IP finish**
- Bracelet with IP finish**
- Carbon dial**
- Carbon bezel**

BUCKLES

- One-touch 3-fold buckle**
- 2-fold buckle**
- Triple-fold buckle**
- Pin buckle**

WATER RESISTANCE

- Water-resistant**
WR means that the model is water-resistant according to ISO 22810. Shortterm contact with water does not cause problems. From a water-resistant grade of 5 bar, the watch is able to withstand this amount of water pressure and is therefore suitable for use when showering. 10 bar water-resistant means that the model is also suitable for swimming or snorkelling. From 20 bar, the watch can be use for freediving without equipment.

Функции № Модели
5081 GA-100B-4AER Наименование модели
 Ø 51 mm Ширина

* Батарея, включенная в комплект изделия, предназначена только для проверки покупателем его работы, и срок ее службы может не соответствовать указанному в руководстве по пользованию.

ФУНКЦИЯ СВЯЗИ СО СМАРТФОНОМ

Bluetooth®
 Часы снабжены энергосберегающей технологией Bluetooth®, обеспечивающей нажатием кнопки низкоэнергетический обмен данными. Через Bluetooth® часы соединяются беспроводно со смартфоном, тем самым обеспечивается доступ к многочисленным полезным функциям.

Точное время посредством смартфона
 Если часы соединены со смартфоном, время автоматически синхронизируется и показывает местное время во всём мире.

Индикатор входящего вызова
 Как только на смартфон поступает звонок, на дисплее часов появляется уведомление

Отображение входящих сообщений электронной почты
 Для входящих сообщений электронной почты отправитель отображается на дисплее часов.

Поиск телефона
 Потерял свой смартфон? С помощью простого нажатия кнопки на ваших часах, ваш смартфон будет издавать сигнал тревоги.

Режим полёта (отключённый режим)
 В режиме полёта беспроводная связь может быть отключена на время путешествия и возможные помехи от других электронных устройств исключены.

ПОДСВЕТКА ЦИФЕРБЛАТА

Электролюминесцентная подсветка
 Благодаря электролюминесцентной панели, обеспечивающей освещение всего циферблата, облегчается считывание данных. Характеризуется наличием функции задержки отключения, благодаря которой электролюминесцентная подсветка горит еще несколько секунд после отпущения кнопки освещения.

Электролюминесцентная подсветка (с автоподсветкой)
 Благодаря электролюминесцентной панели, обеспечивающей освещение всего циферблата, облегчается считывание данных. При наклоне часов в сторону лица для считывания функция автоподсветки обеспечивает автоматическое включение электролюминесцентной подсветки.

Полностью автоматическая электролюминесцентная подсветка
 Автоматически выключает функцию авто подсветки при достаточном освещении, и активирует ее при тусклом и неясном свете.

Парный ILLUMINATOR
 Функция парный illuminator обеспечит подсветку цифровой и аналоговой зоны на дисплее часов.

Светодиодная подсветка
 Для освещения циферблата используется светодиод.

Светодиодная супер-подсветка
 Светодиод подсвечивает дисплей с синим, зеленым, голубым, розовым, желтым, или с белым светом.

Светодиодная автоподсветка
 Светодиод подсвечивает дисплей часов. При повороте часов в сторону лица подсветка дисплея осуществляется автоматически, благодаря функции «Автоподсветка».

Умная светодиодная авто-подсветка
 Для подсветки дисплея часов используется светодиод. Умная авто-подсветка включается автоматически при повороте экрана часов пользователем только когда внешнее освещение недостаточное.

Супер светодиодная автоподсветка
 С движением руки дисплей часов загорается супер яркой и разноцветной подсветкой.

Полностью автоматическая светодиодная супер-подсветка
 При недостаточном внешнем освещении, поворот запястья обеспечивает яркую цветную подсветку дисплея часов.

Микроподсветка
 Циферблат освещается сбоку встроенным источником света.

ЗАЩИТА КОРПУСА ЧАСОВ

Ударопрочные
 Ударопрочная конструкция защищает от ударов и вибрации.

Устойчивость к воздействию магнитного поля
 Корпус часов спроектирован таким образом, что часы полностью защищены от внешнего воздействия магнитного поля.

Грязнепроницаемые
 Грязнепроницаемая конструкция предотвращает попадание в часы грязи.

Морозоустойчивость
 Модуль часов рассчитан на работу при очень низких температурах. Значение температуры соответствует самой низкой температуре, при которой модуль работает. Устойчивость к температуре -10 °C не распространяется на датчик направления.

СОЛНЕЧНАЯ БАТАРЕЙКА (TOUGH SOLAR)

Питание от солнечной энергии
 Аккумулируя световую энергию, солнечная панель обеспечивает питание для работы часов.

ПРИЕМ РАДИОСИГНАЛА

Прием радиосигнала (Европа, США, Япония)
 Встроенный приемник обеспечивает отображение точного времени на территории почти всей Европы и США и Японии. Часы, отмеченные данным символом, могут принимать сигналы DCF, MSF, WWVB и JYU.

Прием радиосигнала (Европа, США, Япония, Китай)
 Встроенный приемник обеспечивает отображение точного времени на территории почти всей Европы, США, Японии и Китая. Часы, отмеченные данным символом, могут принимать сигналы DCF, MSF, WWVB, JYU и BPC.

ДИСПЛЕЙ

Двойной LCD дисплей
 Таким образом, вы сможете вести обзор: на дисплее элементы отделены друг от друга цветом. Это возможно благодаря различно окрашенным слоям, которые накладываются друг на друга и таким образом представляют информацию более чётко.

Необрит
 Специальное покрытие обеспечивает длительное послесвечение в темноте даже после кратковременного нахождения на свету.

LED индикатор
 Светодиод начинает мигать в момент срабатывания будильника, таймера обратного отсчета или ежечасного сигнала.

Индикатор скорости
 Возможность измерения скорости относительно покрытого расстояния. Просто введите расстояние до места назначения и нажмите кнопку секундомера во время старта и финиша - на дисплее отобразится ваша средняя скорость.

КОНТРОЛЬНЫЕ ФУНКЦИИ ФИЗИЧЕСКОГО СОСТОЯНИЯ

Счётчик калорий
 Эта функция вычисляет сожжённые калорий и запоминает вычисленное значение в памяти.

Звуковой сигнал пульсометра
 Звуковой сигнал звучит сразу же при достижении заданного диапазона частоты сердечных сокращений.

Оптическое измерение пульса
 Оптический датчик на задней крышке часов использует светодиоды для измерения пульса на запястье. Определенные значения отображаются на часах.

Функция Lifelog
 На основе количества шагов часы рассчитывают условное потребление калорий и пройденное расстояние.

VO2max
 Значение VO2max является показателем для аэробной тренировки и показывает индивидуальный уровень физической подготовки человека. Более низкое значение VO2max является показателем низкого уровня физической подготовки, в то время как более высокое значение VO2max указывает на более высокий уровень работоспособности. Регулярные тренировки могут улучшить значение VO2max.

Время восстановления VO2max
 Хорошая тренировка нуждается в восстановлении. Для того чтобы тренировки были максимально эффективными, предусмотрен дисплей времени восстановления VO2max, который показывает время восстановления, необходимое для того, чтобы ваш организм восстановился после предыдущей тренировки. После этого можно приступать к следующей тренировке.

Шагомер
 Шагомер с помощью датчика ускорения измеряет количество шагов, отображая данные на дисплее часов.

Шагомер цель 50.000
 Шагомер цель 50.000 позволяет определить цель в пределах от 1 тыс. до 50 тыс. шагов. Он напоминает пользователю о том, что цель достигнута.

Планирование тренинга
 Установить индивидуальные цели тренинга.

Анализ тренинга
 Состояние тренировки, уровень тренированности и тренировочная нагрузка, а также продолжительность регенерации анализировать.

Дневник тренировок
 Сохранить тренировки и подробную информацию о них.

ФУНКЦИЯ ХРАНЕНИЯ ИНФОРМАЦИИ

Телефонная книжка
 Встроенное запоминающее устройство позволяет хранить имена абонентов и номера телефонов. Число под символом обозначает максимально количество ячеек памяти.

Записная книжка для электронных данных
 Записная книжка для web и e-mail адресов. Число под символом обозначает объем памяти. Введенные данные можно обезопасить от несанкционированного доступа паролем.

ФУНКЦИИ ДЛЯ ИСПОЛЬЗОВАНИЯ ЧАСОВ ВО ВНЕШНЕЙ СРЕДЕ

Измерение барометрического давления
 Встроенным датчиком давления измеряется барометрическое давление, отображаемое на дисплее.

Измерение температуры
 Встроенным датчиком температуры измеряется температура.

Компас
 Встроенным датчиком направления определяется северный магнитный полюс.

Индикатор направления
 Индикатор направления указывает направление и расстояние заранее сохранённого местоположения. С помощью этой функции вы можете на пр. легко найти дорогу обратно в хижину, к озеру или к машине, если заблудились.

Track Log
 После активации функции Track Log, профиль маршрута и высоты сохраняется на смартфоне и может быть отображён позже на карте. Кроме того, фотографии сохраняются в файле Track Log, если они сделаны во время сохранённого тура.

Измерение высоты
 Встроенным датчиком давления измеряется барометрическое давление, пересчитываемое в относительную высоту. Цифра под символом указывает максимальную высоту, которую можно измерить.

Альтиметр (высотомер)
 Функция добавочного высотомера позволяет измерять покоренные высоты (в метрах). С помощью данной функции вы можете определить разницу между начальной и конечной точками восхождения.

Альтиметр – данные памяти
 В зависимости от модели, до 40 измеренных данных высот могут быть сохранены в память часов и вновь доступны в любое время. Каждое измеренное значение из этих 40 данных состоит из измеренной высоты, а также даты и времени. В дополнение к отдельным высотам, максимальные и минимальные высоты во время измерения также сохраняются.

Отображение возраста луны
 Отображение возраста и фазы луны на основе введенных координат (широты и долготы) вашего местонахождения.

Отображение таблицы приливов-отливов
 После того, как в память часов будет введено время паводка в определенном месте, часы в любой день покажут фазы прилива и отлива в этом месте. Это может пригодиться, к примеру, тогда, когда заранее необходимо иметь сведения о приливах и отливах в данном месте.

Датчик акселерометр
 Датчик движения реагирует на ускорение, а затем отображает его как скорость на дисплее. При этом датчик поддерживает функцию самовращения часов, гарантируя, что изображение картины на экране всегда будет отображаться в правильном направлении.

Отображение восхода и захода солнца
 Время восхода и захода солнца отображается на дисплее на основе введенных координат (широты и долготы) вашего местонахождения.

GPS измерение скорости-расстояния
 Высокие технологии для требовательных бегунов: часы используют GPS технологии для измерения текущей скорости бега и пройденного расстояния. Все данные отдельно отображаются на экране.

Таймер рыбалки
 Определение времени, наиболее подходящего для рыбалки. На экране отображается символ в виде рыбы в том случае, если время идеально подходит для рыбалки.

Приложение активности
 Часы имеют несколько режимов тренировки, которые можно установить заранее, чтобы индивидуально оценивать и контролировать соответствующую активность. Например, в режиме „Плавание“ больше внимания уделяется расходу калорий и расстоянию, в то время как в режиме „Бег“ - частоте сердечных сокращений и скорости.

ФУНКЦИИ КАЛЬКУЛЯТОРА

8-ми разрядный калькулятор
 Позволяет производить различные математические вычисления, используя числа, содержащие до 8 знаков.

Конвертер валют
 Возможность перевода суммы из одной валюты в другую по введенным курсам обмена.

Функция логарифмической линейки
 Используя функции логарифмической линейки возможны измерения различных величин, к примеру скорости, дистанции полета или расчет потраченного топлива. Функция логарифмической линейки, как правило, используется в авиационных часах.

СПЕЦИАЛЬНЫЕ ФУНКЦИИ ОТОБРАЖЕНИЯ РЕМЕНИ

Мировое время
 Обеспечивает отображение текущего времени в некоторых городах и определенных регионах мира.

Двойное время
 Одновременное отображение текущего времени в двух разных часовых поясах.

Дополнительный циферблат мирового времени
 Бросив один взгляд на дополнительный циферблат, можно узнать важное для вас время.

Отображение текущего времени в 4 разных часовых поясах
 Просто и легко можно переключаться между отображением текущего времени в 4 разных часовых поясах.

12- и 24-часовой формат времени
 Время может отображаться как в 12-часовом, так и в 24-часовом формате.

ФУНКЦИИ СЕКУНДОМЕРА



Секундомер
 Точное измерение истекшего времени касанием кнопки. Дробь соответствует величине, с точностью до которой производится измерение, а число часов – максимально измеряемому времени.

Секундомер судьи
 С помощью функции секундомера судьи отображается фактически сыгранное время от начала тайма и пройденное время без учета остановок. Т.о. можно определить добавочное время.

Данные о прохождении этапов
 Память на 300 этапов, включая дату и время прохождения этапа.

ТАЙМЕР ОБРАТНОГО ОТСЧЕТА

Таймер обратного отсчета
 Секундомер, работающий в обратном направлении: при окончании отсчета (0 минут, 0 секунд) издается 10 секундный сигнал. Цифры указывают время и интервал обратного отсчета.

Таймер обратного отсчета с повтором сигнала
 По достижении 0 минут, 0 секунд, когда издается сигнал, таймер автоматически возвращается к установленному времени и снова начинает обратный отсчет. Данная функция особенно полезна для тех кому нужно регулярно принимать лекарства (например, каждые полчаса).

Интервальный таймер
 Интервал-таймер позволяет задавать до 9 разных обратных отсчетов, истекающих один за другим. Данная функция будет очень полезна для интервальных тренировок (напр. 3 минуты бега, 2 минуты ходьбы, 1 минута перерыва и т.п.)

Яхт-таймер
 Идеальная подготовка к старту регаты или яхт-гонки: таймер обратного отсчета можно установить с 1 до 10 минут, обычно это значение равно 5 минутам. Звуковой сигнал будет звучать каждый раз по истечении минуты. Последние 10 секунд до старта звуковой сигнал будет звучать каждую секунду.

Таймер расписания
 Всегда иметь в поле зрения запланированные события с «таймером расписания». События на календаре смартфоне синхронизируются с часами и на дисплее отображается время начала или время окончания события. Дополнительно они объявляются 120 минут до начала на часах и обратный отсчет высвечивается.

Пресет таймер
 С помощью данной функции можно применять заранее установленное время для разных видов спорта.

ФУНКЦИИ БУДИЛЬНИКА

Ежедневный сигнал, ежечасный сигнал
 Ежедневный сигнал звучит каждый день в установленное вами время. Число показывает, сколько ежедневных сигналов имеется. Функция ежечасного сигнала обеспечивает подачу звукового сигнала при наступлении каждого нового часа.

12 звуковых сигналов
 Звуковой сигнал напоминает Вам о заранее запланированном Вами предстоящем мероприятии. Это модель часов имеет около 12 неза-висимых будильников, которые могут использоваться и напоминать Вам о различных делах.

Мульти-сигнал, ежечасный сигнал
 Существует 4 типа сигнала: 1 - ежедневный; 2 - ежемесячный; 3 - сигнал в определенное время каждый день определенного месяца; 4 - сигнал в определенное время, в определенный день (на дату). Цифра в квадрате указывает количество возможных установок сигнала.

Функция повтора сигнала
 Через несколько минут после остановки сигнала он повторяется.

Вибрационная сигнализация
 Вибрационная сигнализация бесшумно предупреждает вас о таких событиях как обратный отчёт таймеров, время окончания и время пробуждения.

Сигнал-звонок
 В установленное Вами время звучит звонок.

СПЕЦИАЛЬНЫЕ ФУНКЦИИ

Автоматическая настройка стрелок
 Функция автоматической настройки стрелок проверяет «домашний» часовой пояс стрелок каждый час и корректирует если это необходимо, например в случае удара или воздействия магнитных полей.

Функция перемещения стрелок
 Нажатие кнопки обеспечит перемещение стрелок в такое положение, которое позволит Вам легко считать информацию, например дату или показатели секундомера, с маленьких цифровых дисплеев.

Блокировка переводной головки
 Функция блокировки переводной головки обеспечит защиту от изменения ее положения и перехода в другой режим.

Включение/выключение звука кнопок
 При желании звук кнопок при переходе из одного режима в другой может быть выключен. При этом звук будильника и таймера обратного отсчета будет работать независимо от этого.

Технология Smart Access
 Технология Smart Access позволит Вам управлять часами с помощью электронной заводной головки – интуитивно понятно и быстро. Легкое управление такими функциями, как Секундомер, Таймер обратного отсчета времени, Будильник и Мировое время выполняется с помощью нажатий и поворотов заводной головки часов.

Flight Log Memory
 В режиме Flight Log Memory нажатием кнопки можно ввести в память актуальное местоположение на основании данных GPS с указанием времени и даты. Эта функция весьма полезна, к примеру, пилотам, которые могут задокументировать свои полеты и впоследствии указать их на картах.

ФУНКЦИИ БАТАРЕЙКИ

Индикатор зарядки элемента питания
 Показывает уровень зарядки.

Индикатор уровня заряда батареи
 Символ указывает, когда пришло время менять батарейки.

Долгий срок службы батареи
 Число в квадрате обозначает приблизительный срок службы батарейки при соблюдении нормальной эксплуатации часов.

ФУНКЦИИ КАЛЕНДАРЯ

Полностью автоматический календарь
 Автоматически учитываются месяцы разной продолжительности и високосные годы.

Отображение даты
 Отображение текущей даты в аналоговых часах.

Отображение даты и дня недели
 Отображение текущей даты и дня недели в аналоговых часах.

Отображение дня на разных языках
 Название дня недели может отображаться на разных языках.

СТЕКЛО

Минеральное стекло
 Жесткое стекло устойчивое к царапанию.

Сапфировое стекло
 Искусственный сапфир, используемый в качестве стекла, придает поверхности прозрачность и делает ее устойчивой к появлению царапин.

Акриловое стекло

Сферическое стекло
 Стекло имеет закругленную поверхность.

СПЕЦИАЛЬНЫЕ ХАРАКТЕРИСТИКИ

Крышка с винтовым фиксатором

Титановая задняя крышка корпуса

Задняя крышка корпуса из устойчивой смолы

Задняя крышка корпуса с DLC-покрытием

Переводное колесико с винтовым фиксатором

Оправа с односторонним вращением

Оправа с направлениями

USB-зарядное устройство

КОРПУС

Массивный корпус из высококачественной стали

Корпус из высококачественной стали и резины

Резиновый корпус

Корпус из титановой смолы

Массивный титановый корпус

Латунный корпус

Углеродные случай волокна

Укрепленный карбоном резиновый корпус

Корпус выполнен из нержавеющей стали с углеродным армированием

Корпус из смолы и нержавеющей стали, усиленный стекловолокном

Устойчивый корпус из смолы

РЕМЕШКИ И БРАСЛЕТЫ

Ремешок из полимерного материала

Тканевый ремешок

Браслет из нержавеющей стали

Браслет высокой прочности из нержавеющей стали с цельнометаллическими звеньями

Ремешок из кожезаменителя

Ремешок из натуральной кожи

Ремешок из титана

Титановый браслет с цельнометаллическими звеньями

Ремешок из полимерных материалов

Ремешок Миланезе

Ремешок Mesh

Устойчивый браслет из смолы

Включено: 1 дополнительный браслет

ОТДЕЛКА

Безель с IP Finish

Корпус с IP Finish

Ремешок с IP Finish

Циферблат часов из углерода

Безель часов из углерода

ЗАСТЕЖКИ

Застежка с тройным сгибом, расстегиваемая одним касанием

Регулируемая застежка

Застежка с тройным сгибом

Застёжка-шип

КЛАССИФИКАЦИЯ ЧАСОВ ПО ВОДОЗАЩИТЕ

WR 5 BAR 10 BAR 20 BAR Водонепроницаемые
 WR означает, что модель водонепроницаема согласно ISO 22810: кратковременный контакт с водой не вызовет никаких проблем, с водозащитой в 5 бар (50 м) часы способны выдержать давление воды обозначенной величины и соответственно могут быть использованы во время принятия душа и т.п. 10 бар (100 м) означает, что часы могут быть использованы во время обычного плавания и ныряния под водой с трубкой. 20 бар (200 м) означает, что часы могут быть использованы для ныряния (free diving) без специального оборудования.

Lined area for notes on page 94.

Lined area for notes on page 95.



CASIO®

Casio Europe GmbH
Casio-Platz 1
D-22848 Norderstedt

Telefon +49 (0) 40-528 65-0

<http://www.casio-europe.com>

Watches are not shown in actual size. This publication is subject to errors, particularly typographical ones.
For technical reasons, printed colours in the catalogue may deviate slightly from the actual colour of the products.

