



224EU-BASCAT2

CASIO®

CASIO WATCH CATALOGUE



CASIO®

Casio Europe GmbH
Casio-Platz 1
D-22848 Norderstedt

Telefon +49 (0) 40-528 65-0

<http://www.casio-europe.com>

Watches are not shown in actual size. This publication is subject to errors, particularly typographical ones.
For technical reasons, printed colours in the catalogue may deviate slightly from the actual colour of the products.



AUTUMN / WINTER | 2024

Valid from september 2024



CONTENTS

G-SHOCK	PAGE 3-31
PROFILE: multiple functions, extremely tough, modern sporty design	
BABY-G	PAGE 32-33
PROFILE: sophisticated functions, ultramodern, playful or chic	
EDIFICE	PAGE 34-48
PROFILE: from elegant and classic to sporty and functional, good price-performance ratio	
PRO TREK	PAGE 49-51
PROFILE: functional watches for special outdoor activities and sports (trekking etc.)	
SHEEN	PAGE 52
PROFILE: feminine, elegant design, very high-quality materials, chic	
RADIO-CONTROLLED WATCHES	PAGE 53-55
PROFILE: radio signal receiver ensures exact time display, distinguished business look	
CASIO VINTAGE COLLECTION	PAGE 56-68
PROFILE: unisex with the focus on female, trend- and fashion-conscious	
CASIO TIMELESS COLLECTION	PAGE 69-86
PROFILE: from metallic design to sporty, reasonably priced	
WAKE UP TIMER	PAGE 88-89
PROFILE: colourful, sets the tone, ideal for home and travel	
INDEX, PICTOGRAMS	PAGE 90-94

G-SHOCK

GBM-2100 with metal look and smartphone link

In addition to its elegant stainless steel look, the new GBM-2100 also comes with a smartphone link and sustainable resin strap. All functions can be set and controlled easily via the CASIO WATCHES app. In addition, the correct local time is accurate always and everywhere. No readjusting, no manual change from summer to winter time anymore. Sustainability can be that simple.



5729 | GBM-2100-1AER

Ø 44 mm



NEW



5729 | GBM-2100A-1A2ER

Ø 44 mm



NEW



5729 | GBM-2100A-1A3ER

Ø 44 mm



NEW



G-SHOCK MODELS

GM-2110D

The GM-2110D is made for anyone who wants to be different in terms of elegance and colour. The remake of the GA-2100D, the reinterpretation of the first G-SHOCK from 1983, comes in the iconic octagon shape in stainless steel. The brand's DNA has always been indestructibility and so the watch module in the GM-2110D is also absolutely safe from shocks or impacts in its glass fibre-reinforced stainless steel case. The bezel and bracelet are made of robust stainless steel and feature a hairline finish on the top and polished sides, which gives the watch its elegant velvety sheen.

5611 | GM-2110D-2BER


Ø 44 mm



NEW

5611 | GM-2110D-2AER


Ø 44 mm



NEW

5611 | GM-2110D-3AER

Ø 44 mm



NEW

5611 | GM-2110D-4AER


Ø 44 mm



NEW

5611 | GM-2110D-7AER

Ø 44 mm



NEW

G-SHOCK MODELS

5611 | GM-2100RW-1AER

Ø 44 mm



4 549526 383496

NEW




5611 | GM-2100CB-1AER

Ø 44 mm

Ionised case



4 549526 344442




5611 | GM-2100CB-3AER

Ø 44 mm

Ionised case



4 549526 344497




5611 | GM-2100C-5AER

Ø 44 mm



4 549526 346750



5611 | GM-2100BB-1AER

Ø 44 mm

Ionised case



4 549526 344343



G-SHOCK MODELS

5611 | GM-2100N-2AER

Ø 44 mm
Ionised case



4 549526 304828



5611 | GM-2100G-1A9ER

Ø 44 mm
Ionised case



4 549526 327179



5611 | GM-2100B-3AER

Ø 44 mm
Ionised case



4 549526 304729



5611 | GM-2100-1AER

Ø 44 mm



4 549526 307034




5611 | GM-2100WS-7AER

Ø 44 mm



4 549526 363979



The GA-B2100 with solar power and smartphone link

The GA-B2100 watches offer increased convenience in everyday life with Bluetooth® connectivity and solar power. The smartphone link via Bluetooth® ensures accurate timekeeping worldwide. In addition to this, thanks to Tough Solar technology, any light is converted into energy, eliminating the need for regular battery replacement. This makes the GA-B2100 not only indestructible but also sustainable and precise.



5689 | **GA-B2100-1A1ER**

Ø 46 mm



5689 | **GA-B2100-1AER**

Ø 46 mm



5689 | **GA-B2100MF-1AER**

Ø 45 mm



5689 | **GA-B2100-2AER**

Ø 46 mm



G-SHOCK MODELS

5689 | GA-B2100-3AER

Ø 46 mm



CASIO WATCHES
SOLAR POWERED



4 549526 322983



5689 | GA-B2100C-9AER

Ø 46 mm



CASIO WATCHES
SOLAR POWERED



4 549526 322785




5611 | GA-2100RW-1AER

Ø 45 mm



4 549526 384042

NEW




5611 | GA-2100WS-7AER

Ø 45 mm



4 549526 363870



5611 | GA-2100SKE-7AER

Ø 45 mm



4 549526 297939




5611 | GA-2100TL-7AER

Ø 45 mm



4 549526 377969



G-SHOCK MODELS

5611 | GA-2100-1A1ER

Ø 45 mm



4 549526 241659



5611 | GA-2100-1AER

Ø 45 mm



4 549526 241703




5611 | GA-2100BCE-1AER

Ø 45 mm



4 549526 370168




5611 | GA-2100RC-1AER

Ø 45 mm



4 549526 350627



5611 | GA-2100-1A2ER

Ø 45 mm



4 549526 319235



5611 | GA-2100-1A3ER

Ø 45 mm




4 549526 319280



G-SHOCK MODELS


5611 | GA-2100-1A4ER

Ø 45 mm




5611 | GA-2100-2A2ER

Ø 45 mm




5611 | GA-2100-4AER

Ø 45 mm




5611 | GA-2100-7A7ER

Ø 45 mm



5611 | GA-2100-9A9ER

Ø 45 mm



5611 | GA-2100FF-8AER

Ø 45 mm



G-SHOCK MODELS

5611 | GA-2110ET-8AER

Ø 45 mm



4 549526 293580



5611 | GA-2100SU-1AER

Ø 45 mm



4 549526 259036




5611 | GA-2110SU-3AER

Ø 45 mm



4 549526 259081




5611 | GA-2100SB-1AER

Ø 45 mm



4 549526 358258



5611 | GA-2100GB-1AER

Ø 45 mm



4 549526 358203



G-SHOCK MODELS

3229 | **GM-5600RW-1ER**

Ø 43 mm



NEW



3525 | **GM-5600U-1ER**

Ø 43 mm



3495 | **GW-5000U-1ER**

Ø 43 mm



3525 | **DW-5600RW-1ER**

Ø 43 mm



NEW



3525 | **DW-5600UBB-1ER**

Ø 43 mm



G-SHOCK MODELS

3525 | DW-5600UE-1ER

Ø 43 mm



3525 | DW-5600FF-8ER

Ø 43 mm



3525 | DW-5600BCE-1ER

Ø 43 mm



3495 | GW-M5610U-1BER

Ø 43 mm



3495 | GW-M5610U-1ER

Ø 43 mm



3525 | DW-5600EP-4ER

Ø 43 mm



G-SHOCK MODELS


3221 | **GX-56BB-1ER**

Ø 54 mm



3221 | **GX-56MF-1ER**

Ø 54 mm



3461 | **GW-B5600-2ER**

Ø 43 mm



3461 | **GW-B5600BC-1BER**

Ø 43 mm



G-SHOCK MODELS

5690 | **GA-B001-1AER**

Ø 46 mm



Bluetooth CASIO WATCHES



4 549526 335587



5146 | **GA-110TU-1A5ER**

Ø 51 mm



NEW



4 549526 379444




5146 | **GA-110GB-1AER**

Ø 51 mm



4 971850 943235



5146 | **GA-110MF-1AER**

Ø 51 mm



4 549526 375828



5146 | **GA-110-1BER**

Ø 51 mm



4 971850 935582



5146 | **GA-110CD-1A2ER**

Ø 51 mm



4 549526 372094



G-SHOCK MODELS

5146 | GA-110CD-1A3ER

Ø 51 mm



5081 | GA-100TU-1A3ER

Ø 51 mm



5081 | GA-100B-4AER

Ø 51 mm



5081 | GA-100B-7AER

Ø 51 mm



5081 | GA-100MF-1AER

Ø 51 mm



5081 | GA-100-1A4ER


Ø 51 mm



G-SHOCK MODELS


5081 | GA-100-1A2ER

Ø 51 mm



5081 | GA-100-1A1ER

Ø 51 mm



5444 | GAW-100B-1AER

Ø 53 mm



5230 | AWG-M100A-1AER

Ø 46 mm



5230 | AWG-M100B-1AER

Ø 46 mm



5230 | AWG-M100SB-2AER

Ø 46 mm



G-SHOCK MODELS

5612 | GA-140-1A1ER

Ø 51 mm



5612 | GA-140-6AER

Ø 51 mm



5522 | GM-700-1AER

Ø 53 mm



NEW

5522 | GM-700G-9AER

Ø 53 mm
Ionised case



NEW

5522 | GA-700MF-1AER

Ø 53 mm



5522 | GA-700BCE-1AER

Ø 53 mm



G-SHOCK MODELS

5522 | GA-710TU-1A3ER

Ø 53 mm



4 549526 379345

NEW



5522 | GA-710GB-1AER

Ø 53 mm



4 549526 144646



5522 | GA-700-1BER

Ø 53 mm



4 549526 140938



5725 | GA-2300-1AER

Ø 42 mm



4 549526 372629



5725 | GA-2300-4AER

Ø 42 mm



4 549526 372674



5725 | GA-2300-7AER

Ø 42 mm



4 549526 372728



G-SHOCK MODELS

GA-010 – Reduce the environmental impact

The GA-010 model features an analog-digital face and offers world time as well as stopwatch function and a with high-luminance LED face illumination for easy readout in darkness. A large front button simplifies daily operations. These models are crafted using bio-based resin and boast a 10-year battery life, which contributes to the reduction of environmental impact.

5735 | GA-010-1AER

Ø 52 mm



NEW



5735 | GA-010-2AER

Ø 52 mm



NEW



5735 | GA-010-5AER

Ø 52 mm



NEW



G-SHOCK MODELS

GD-010 – Reduce the environmental impact

The GD-010 model series features a digital and easy-to-read display and offers world time and stop-watch functions as well as bright LED lighting for easy reading in the dark. These models are made from bio-based resin and also have economical electronics that make the watch usable for up to 10 years. The packaging is made from recycled paper. Not only sustainable, but also low-maintenance.

3569 | **GD-010-1ER**

Ø 52 mm



NEW



3569 | **GD-010-4ER**

Ø 52 mm



NEW



3569 | **GD-010-3ER**

Ø 52 mm



NEW



3200 | **GW-7900B-1ER**

Ø 50 mm



3529 | **DW-6900U-1ER**

Ø 50 mm



G-SHOCK MODELS

G-SQUAD

The G-SQUAD series combines a stylish look with innovative technology. Equipped with a 3-axis acceleration sensor, the watch measures the daily steps as well as the individual walking or running pace. Once connected to the smartphone it sends the collected data automatically to the CASIO WATCHES app and supports the wearer to keep and improve the individual fitness levels. The high-contrast MIP display ensures excellent readability, even in poor lighting conditions. Thanks to solar operation, the watch is always supplied with sufficient power and ready to use at any time.

GBD-H2000

The GBD-H2000 impresses with its sporty colours and dynamic design. With its slim housing, the watch offers exciting features such as heart rate measurement and other outdoor functions that improve your training and fitness level: You can view detailed fitness data via the smartphone app and make individual adjustments as needed. In consideration of the environment, both the case and strap are crafted from sustainable resin.

CASIO WATCHES



GET IT ON
Google Play

Download on the
App Store

3515 | GBD-H2000-1A9ER

Ø 53 mm
Step Tracker



CASIO WATCHES

SOLAR POWERED

4 549526 334153



3515 | GBD-H2000-1AER

Ø 53 mm
Step Tracker



CASIO WATCHES

SOLAR POWERED

4 549526 334207



DW-H5600

The DW-H5600 comes in the classic G-SHOCK shape and elegant colors. Inside its slim case, it features a heart rate monitor and additional functions that help enhance your running training and fitness. For a best possibly evaluation of your individual workouts, the CASIO WATCHES app is directly connected to the Polar® library. All settings can be comfortably operated through your smartphone. For the sake of the environment, the case and band material is made of bio-based resin. Furthermore, the DW-H5600 comes in a recyclable paper packaging, making a contribution to sustainability. This makes sports even more enjoyable!

3516 | **DW-H5600-1ER**

Ø 45 mm
Step Tracker



Bluetooth CASIO WATCHES
SOLAR POWERED



4 549526 347481

Bluetooth	Casio Watches	LED	G
Solar Powered	Full Auto	Cal	Heart Rate
Alarm	1892	Phone FINDER	Acc Sensor
Vibe	Mute	24	Mineral Glass
Phone FINDER	Acc Sensor	R/BIO	Recovery
100 MIN	LAP MEMO 100	20 BAR	100 HR
1 SEC	1 HR		

3516 | **DW-H5600-7ER**

Ø 45 mm
Step Tracker



Bluetooth CASIO WATCHES
SOLAR POWERED



4 549526 370953

Bluetooth	Casio Watches	LED	G
Solar Powered	Full Auto	Cal	Heart Rate
Alarm	1892	Phone FINDER	Acc Sensor
Vibe	Mute	24	Mineral Glass
Phone FINDER	Acc Sensor	R/BIO	Recovery
100 MIN	LAP MEMO 100	20 BAR	100 HR
1 SEC	1 HR		

3568 | **GBD-300-1ER**

Ø 47 mm
Step Tracker



Bluetooth G-SHOCK MOVE



4 549526 380624

Bluetooth	G-Shock Move	LED	G
Super	Full Auto	Cal	Heart Rate
1892	Phone FINDER	Acc Sensor	100 MIN
Vibe	Mute	24	Mineral Glass
Phone FINDER	Acc Sensor	R/BIO	Recovery
100 MIN	LAP MEMO 100	20 BAR	100 HR
1 SEC	1 HR		

NEW

3568 | **GBD-300-7ER**

Ø 47 mm
Step Tracker



Bluetooth G-SHOCK MOVE



4 549526 380679

Bluetooth	G-Shock Move	LED	G
Super	Full Auto	Cal	Heart Rate
1892	Phone FINDER	Acc Sensor	100 MIN
Vibe	Mute	24	Mineral Glass
Phone FINDER	Acc Sensor	R/BIO	Recovery
100 MIN	LAP MEMO 100	20 BAR	100 HR
1 SEC	1 HR		

NEW

G-SHOCK MODELS

3552 | **GD-B500-1ER**

Ø 42 mm
Step Tracker



Bluetooth CASIO WATCHES



3552 | **GD-B500-7ER**

Ø 42 mm
Step Tracker



Bluetooth CASIO WATCHES




3482 | **GBX-100TT-8ER**

Ø 46 mm
Step Tracker



Bluetooth CASIO WATCHES




3482 | **GBX-100-2AER**

Ø 46 mm
Step Tracker



Bluetooth CASIO WATCHES



G-SHOCK MODELS

3506 | **GBD-200-1ER**

Ø 46 mm
Step Tracker



Bluetooth CASIO WATCHES



4 549526 306273



3506 | **GBD-200-2ER**

Ø 46 mm
Step Tracker



Bluetooth CASIO WATCHES



4 549526 306327



3506 | **GBD-200-9ER**

Ø 46 mm
Step Tracker



Bluetooth CASIO WATCHES



4 549526 306372



3506 | **GBD-200UU-9ER**

Ø 46 mm
Step Tracker



Bluetooth CASIO WATCHES



4 549526 322051



G-SHOCK MODELS

5641 | **GBA-900-1AER**

Ø 49 mm
Step Tracker



Bluetooth CASIO WATCHES




5641 | **GBA-900-7AER**

Ø 49 mm
Step Tracker



Bluetooth CASIO WATCHES




5641 | **GBA-900UU-3AER**

Ø 49 mm
Step Tracker



Bluetooth CASIO WATCHES




5641 | **GBA-900UU-5AER**

Ø 49 mm
Step Tracker



Bluetooth CASIO WATCHES



G-SHOCK MODELS

3464 | **GBD-800-1BER**

Ø 49 mm
Step Tracker



Bluetooth CASIO WATCHES



4 549526 202131



3464 | **GBD-800-8ER**

Ø 49 mm
Step Tracker



Bluetooth CASIO WATCHES



4 549526 202384



3464 | **GBD-800UC-3ER**

Ø 49 mm
Step Tracker



Bluetooth CASIO WATCHES



4 549526 218521



3464 | **GBD-800UC-5ER**

Ø 49 mm
Step Tracker



Bluetooth CASIO WATCHES



4 549526 218576



3464 | **GBD-800UC-8ER**


Ø 49 mm
Step Tracker



Bluetooth CASIO WATCHES



4 549526 218620



5554 | **GBA-800-1AER**


Ø 49 mm
Step Tracker



Bluetooth CASIO WATCHES



4 549526 179105



G-SHOCK MODELS

G-SHOCK SMALL

GM-S2110 featuring bio-based resin band

The elegant, minimalist design of the GM-S2110 suits both smart and casual outfits and offers a touch of sophisticated beauty to any look. The combination of black strap and blue, green or pink metallic dial, creates a calm and cool appearance. The strap of the GM-S2110 is slightly shorter, making it also ideal for narrower wrists. For the sake of the environment, the straps are made from bio-based resin, a renewable organic raw material.

5730 | GM-S2110-2AER

Ø 41 mm



4 549526 383342

NEW



5730 | GM-S2110-3AER

Ø 41 mm



4 549526 383397

NEW



5730 | GM-S2110-4AER

Ø 41 mm



4 549526 383441

NEW




5663 | GM-S2100B-8AER

Ø 40 mm

Ionised case



4 549526 306983




5663 | GM-S2100PG-1A4ER

Ø 40 mm

Ionised case



4 549526 306938




5663 | GM-S2100PG-4AER

Ø 40 mm



4 549526 358050



GMA-P2100 featuring bio-based resin band

The GMA-P2100ST series comes with a luxurious, silky texture. The case and strap are finished with a matt, polarised mother-of-pearl effect, while the dial presents itself with a metallic effect that shimmers beautifully and adds a touch of glamour to the minimalist design. The case and strap are made from sustainable bio-resin for the sake of the environment.

5730 | **GMA-P2100ST-7AER**

Ø 40 mm



4 549526 383946

NEW



5730 | **GMA-P2100ST-9AER**

Ø 40 mm



4 549526 383991

NEW




5730 | **GMA-P2100ST-4AER**

Ø 40 mm



4 549526 383892

NEW



5730 | **GMA-P2100BB-1AER**

Ø 40 mm



4 549526 381812

NEW



5730 | **GMA-P2100-4AER**

Ø 40 mm



4 549526 370014



5730 | **GMA-P2100-7AER**

Ø 40 mm




4 549526 370069



G-SHOCK MODELS


5611 | GMA-S2100MD-1AER

Ø 43 mm




5611 | GMA-S2100MD-4AER

Ø 43 mm




5611 | GMA-S2100MD-7AER

Ø 43 mm




5611 | GMA-S2100BA-2A1ER

Ø 43 mm




5611 | GMA-S2100BA-2A2ER

Ø 43 mm




5611 | GMA-S2100BA-4AER

Ø 43 mm




5611 | GMA-S2100GA-1AER

Ø 43 mm



5611 | GMA-S2100GA-3AER

Ø 43 mm



G-SHOCK MODELS

5611 | GMA-S2100-1AER

Ø 43 mm



4 549526 300271




5611 | GMA-S2100-4AER

Ø 43 mm



4 549526 300370



5611 | GMA-S2100SK-2AER

Ø 43 mm



4 549526 328800



5611 | GMA-S2100SK-7AER

Ø 43 mm



4 549526 328909



3523 | GMD-S5600-1ER

Ø 41 mm



4 549526 345180



3523 | GMD-S5600-7ER

Ø 41 mm



4 549526 345289



5613 | GMA-S140M-1AER

Ø 46 mm



4 549526 279737



5613 | GMA-S140M-4AER

Ø 46 mm



4 549526 279782



5613 | GMA-S140M-7AER

Ø 46 mm



4 549526 279836



BABY-G MODELS

BABY-G

Tough and cool

For over 25 years, the stylish watches of the BABY-G brand have showcased their knack for trends, seamlessly blending laid-back colors and chic patterns with rugged functionality. This winning fusion makes it an essential timepiece for anyone who embraces an active and fashionable lifestyle. Whether you're in the heart of the party scene, on the beach of your dreams, or engaged in sports, BABY-G is your companion in every action. Be tough, be cool, be BABY-G.


5338 | **BA-110X-1AER**

Ø 43 mm




5338 | **BA-110X-7A1ER**

Ø 43 mm



5607 | **BA-130-7A1ER**

Ø 43 mm



3493 | BGD-5650-1ER

Ø 38 mm



- SOLAR POWERED
- RADIO CONTROLLED



- LED
- G
- FLASH
- 1/100
- 1 SEC
- 5
- SNOOZE
- SUPER
- MULTI LANGUAGE
- MUTE
- 24
- MINERAL GLASS
- R
- 24 HR
- R
- 10 BAR

3493 | BGD-5650-7ER

Ø 38 mm



- SOLAR POWERED
- RADIO CONTROLLED



- LED
- G
- FLASH
- 1/100
- 1 SEC
- 5
- SNOOZE
- SUPER
- MULTI LANGUAGE
- MUTE
- 24
- MINERAL GLASS
- R
- 24 HR
- R
- 10 BAR

3523 | BGD-565U-1ER

Ø 38 mm



- LED
- G
- FLASH
- 1/100
- 1 SEC
- MULTI
- 24
- MINERAL GLASS
- R
- 24 HR
- R
- 10 BAR

3523 | BGD-565U-4ER

Ø 38 mm



- LED
- G
- FLASH
- 1/100
- 1 SEC
- MULTI
- 24
- MINERAL GLASS
- R
- 24 HR
- R
- 10 BAR

3523 | BGD-565U-7ER

Ø 38 mm



- LED
- G
- FLASH
- 1/100
- 1 SEC
- MULTI
- 24
- MINERAL GLASS
- R
- 24 HR
- R
- 10 BAR

3523 | BGD-565US-7ER

Ø 38 mm



- LED
- G
- FLASH
- 1/100
- 1 SEC
- MULTI
- 24
- MINERAL GLASS
- R
- 24 HR
- R
- 10 BAR

EDIFICE MODELS



The ECB series of CASIO watches can be effortlessly configured through the user-friendly CASIO WATCHES app, which is available for free on various app stores.



Don't have a smartphone?

No worries! Even without a smartphone, adjusting the settings on ECB series models is an intuitive process, thanks to the user-friendly crown and buttons.

5710 | **ECB-2200CB-2AEF**

Ø 48 mm
Ionised band
Ionised bezel



NEW




5710 | **ECB-2200DC-1AEF**

Ø 48 mm
Ionised band
Ionised bezel



5710 | **ECB-2200DD-1AEF**

Ø 48 mm
Ionised band



5710 | **ECB-2200P-1AEF**

Ø 48 mm



5698 | **ECB-2000CB-2AEF**

Ø 48 mm
Ionised band
Ionised bezel




CASIO WATCHES
SOLAR POWERED



4 549526 383076

NEW



5698 | **ECB-2000DC-1AEF**

Ø 51 mm
Ionised band
Ionised bezel



CASIO WATCHES
SOLAR POWERED



4 549526 329760



5698 | **ECB-2000DC-1BEF**

Ø 48 mm
Ionised band
Ionised bezel



CASIO WATCHES
SOLAR POWERED



4 549526 371752



5698 | **ECB-2000D-1AEF**

Ø 51 mm



CASIO WATCHES
SOLAR POWERED



4 549526 329838



5698 | **ECB-2000DD-1AEF**

Ø 48 mm
Ionised band



CASIO WATCHES
SOLAR POWERED



4 549526 371783



5639 | **EQB-1100D-1AER**

Ø 45 mm
Sapphire crystal



CASIO WATCHES
SOLAR POWERED



4 549526 279706



EDIFICE MODELS

The new Schedule timer

Never miss an appointment with the "Schedule Timer." Your smartphone calendar appointments will be seamlessly synchronized with the watch, displaying start and end times. Moreover, the watch will provide a notification 120 minutes prior to the appointment, complete with a countdown timer.

5708 | **ECB-40DC-1AEF**

Ø 52 mm
Ionised band



Bluetooth CASIO WATCHES



5708 | **ECB-40MP-1AEF**

Ø 52 mm
Ionised bezel



Bluetooth CASIO WATCHES



5708 | **ECB-40P-1AEF**

Ø 52 mm



Bluetooth CASIO WATCHES



5708 | **ECB-40PB-1AEF**

Ø 48 mm
Ionised bezel



Bluetooth CASIO WATCHES



5686 | **ECB-30DB-1A9EF**

Ø 49 mm
Ionised bezel



Bluetooth CASIO WATCHES



NEW

5686 | **ECB-30D-1AEF**

Ø 49 mm



Bluetooth CASIO WATCHES




5686 | **ECB-30D-2AEF**

Ø 49 mm



Bluetooth CASIO WATCHES



5686 | **ECB-30P-1AEF**

Ø 49 mm



Bluetooth CASIO WATCHES




5618 | **ECB-10DB-1A9EF**

Ø 49 mm
Ionised bezel



Bluetooth CASIO WATCHES



NEW

5582 | **ECB-900DB-1AER**

Ø 48 mm
Ionised bezel



Bluetooth CASIO WATCHES



EDIFICE MODELS

5582 | **ECB-900DB-1BER**

Ø 48 mm
Ionised bezel



Bluetooth CASIO WATCHES
SOLAR POWERED



5582 | **ECB-900MP-1AEF**

Ø 48 mm
Ionised bezel



Bluetooth CASIO WATCHES
SOLAR POWERED




5707 | **ECB-950DB-1AEF**

Ø 48 mm
Ionised bezel



Bluetooth CASIO WATCHES
SOLAR POWERED




5707 | **ECB-950DB-2AEF**

Ø 48 mm
Ionised bezel



Bluetooth CASIO WATCHES
SOLAR POWERED




5707 | **ECB-950DC-1AEF**

Ø 48 mm
Ionised case and band



Bluetooth CASIO WATCHES
SOLAR POWERED




5707 | **ECB-950MP-1AEF**

Ø 48 mm
Ionised bezel



Bluetooth CASIO WATCHES
SOLAR POWERED



Elegant chronographs with sapphire crystal and solar power

Experience elegance with our EFS-S630 series chronographs featuring sapphire crystal and sustainable Tough Solar® technology. Integrated solar cells on the dial provide a 24-month power reserve, while high-quality sapphire crystal offers scratch protection, reflecting CASIO's commitment to eco-friendly innovation since the 1980s.

5585 | **EFS-S630BL-5AVUEF**

Ø 44 mm
Ionised bezel
Sapphire crystal



5585 | **EFS-S630D-1AVUEF**

Ø 44 mm
Sapphire crystal



5585 | **EFS-S630DC-2AVUEF**

Ø 44 mm
Ionised case and band
Sapphire crystal



5585 | **EFS-S640D-1AVUEF**

Ø 45 mm



5585 | **EFS-S640DC-1AVUEF**

Ø 45 mm
Ionised band
Ionised bezel
Sapphire crystal



5585 | **EFS-S640PB-1AVUEF**

Ø 45 mm
Ionised bezel
Sapphire crystal



5529 | **EFS-S510D-2AVUEF**

Ø 46 mm
Sapphire crystal



EDIFICE MODELS

Top quality in a wide range: sapphire crystal

Sapphire crystal is characterized by high scratch resistance and transparency for optimal protection against external influences. This quality is also available in entry-level price models. The durable sapphire crystal gives EDIFICE a special longevity. This is the reason why EDIFICE is perfectly in time.



5742 | **EFB-730D-1AVUEF**

Ø 47 mm
Sapphire crystal



NEW



5742 | **EFB-730D-2AVUEF**

Ø 47 mm
Sapphire crystal



NEW



5742 | **EFB-730D-7AVUEF**

Ø 47 mm
Sapphire crystal



NEW



5579 | **EFB-710D-1AVUEF**

Ø 41 mm
Sapphire crystal



5579 | **EFB-710D-2AVUEF**

Ø 41 mm
Sapphire crystal



5579 | **EFB-710D-7AVUEF**

Ø 41 mm
Sapphire crystal



EDIFICE MODELS

5664 | **EFB-108D-1AVUEF**

Ø 45 mm
Sapphire crystal



5664 | **EFB-108D-7AVUEF**

Ø 45 mm
Sapphire crystal



5359 | **EFR-S108D-1AVUEF**

Ø 40 mm
Sapphire crystal



5359 | **EFR-S108D-2AVUEF**

Ø 40 mm
Sapphire crystal



5359 | **EFR-S108D-3AVUEF**

Ø 40 mm
Sapphire crystal



5359 | **EFR-S108D-7AVUEF**

Ø 40 mm
Sapphire crystal



5585 | **EQS-940NL-1AVUEF**

Ø 46 mm
Ionised case



5226 | **EFR-574D-1AVUEF**

Ø 42 mm



5226 | **EFR-574D-2AVUEF**

Ø 42 mm



EDIFICE MODELS

5653 | EFR-571D-1AVUEF

Ø 47 mm



4 549526 271830

NEO DATE 10 MIN MINERAL GLASS SOLID SS PUSH 3 yrs. 10 BAR

5451 | EFR-556D-1AVUEF

Ø 49 mm



4 549526 143199

NEO DATE 30 MIN MINERAL GLASS SOLID SS GL PUSH 3 yrs. 10 BAR

5451 | EFR-556DB-1AVUEF

Ø 49 mm
Ionised bezel



4 549526 143212

NEO DATE 30 MIN MINERAL GLASS SOLID SS IP BEZEL PUSH 3 yrs. 10 BAR

5451 | EFR-556DB-2AVUEF

Ø 49 mm
Ionised bezel



4 549526 143236

NEO DATE 30 MIN MINERAL GLASS SOLID SS IP BEZEL PUSH 3 yrs. 10 BAR

5451 | EFR-556L-1AVUEF

Ø 49 mm



4 549526 143250

NEO DATE 30 MIN MINERAL GLASS SOLID SS GL PUSH 3 yrs. 10 BAR

5490 | EFR-552D-1A2VUEF

Ø 47 mm



4 549526 113819

NEO DATE 10 MIN MINERAL GLASS SOLID SS GL PUSH 3 yrs. 10 BAR

5490 | EFR-552D-1AVUEF

Ø 47 mm



4 549526 113833

NEO DATE 10 MIN MINERAL GLASS SOLID SS GL PUSH 3 yrs. 10 BAR

5490 | EFR-552D-2AVUEF

Ø 47 mm



4 549526 371516

NEO DATE 10 MIN MINERAL GLASS SOLID SS GL PUSH 3 yrs. 10 BAR

5490 | EFR-552L-5AVUEF

Ø 47 mm



4 549526 371493

NEO DATE 10 MIN MINERAL GLASS SOLID SS GL PUSH 3 yrs. 10 BAR

EDIFICE MODELS

5345 | EFR-526D-1AVUEF

Ø 44 mm



4 971850 912620



5345 | EFR-526D-2AVUEF

Ø 44 mm



4 549526 371226



5345 | EFR-526D-3AVUEF

Ø 44 mm



4 549526 371240



5345 | EFR-526L-1AVUEF

Ø 44 mm



4 971850 912583



5345 | EFR-526L-2CVUEF

Ø 44 mm



4 549526 342318




5118 | EF-539D-1AVEF

Ø 49 mm

Ionised bezel



4 971850 433484



5345 | EFR-539D-1A2VUEF

Ø 50 mm

Ionised bezel



4 971850 997979



EDIFICE MODELS

4369 | EF-527D-1AVEF

Ø 46 mm



4369 | EF-527D-2AVUEF

Ø 46 mm



4369 | EF-527D-3AVUEF

Ø 46 mm



5345 | EFV-640D-1AVUEF

Ø 44 mm



5345 | EFV-640DC-3AVUEF

Ø 44 mm

Ionised case and band



5579 | EFV-620D-1A2VUEF

Ø 51 mm



5579 | EFV-620D-1A4VUEF

Ø 51 mm



5579 | EFV-620D-2AVUEF

Ø 51 mm



5579 | EFV-620L-1AVUEF

Ø 51 mm



EDIFICE MODELS

5345 | EFV-610D-1AVUEF

Ø 44 mm



4 549526 297434



5345 | EFV-610D-3CVUEF

Ø 44 mm



4 549526 342356



5345 | EFV-610D-5CVUEF

Ø 44 mm



4 549526 342370



5579 | EFV-600D-2AVUEF

Ø 44 mm



4 549526 271717



5451 | EFV-560D-1AVUEF

Ø 44 mm



4 549526 193316



5451 | EFV-560D-2AVUEF

Ø 44 mm



4 549526 193330




5579 | EFV-550GY-8AVUEF

Ø 47 mm

Ionised case and band



4 549526 195280



5579 | EFV-550P-1AVUEF

Ø 47 mm



4 549526 195365



EDIFICE MODELS

5563 | EFV-540D-1A2VUEF

Ø 44 mm




5563 | EFV-540D-1AVUEF

Ø 44 mm




5563 | EFV-540DC-1CVUEF

Ø 44 mm
Ionised case and band




5125 | EF-129D-1AVEF

Ø 45 mm




5125 | EF-129D-2AVEF

Ø 45 mm



5507 | EFV-100D-2BVUEF


Ø 42 mm



NEW

5507 | EFV-100D-8AVUEF


Ø 42 mm



NEW

5507 | EFV-100D-9AVUEF

Ø 42 mm



NEW

5507 | EFV-100D-1AVUEF

Ø 42 mm



4 549526 186417



5507 | EFV-100D-2AVUEF

Ø 42 mm



4 549526 186431



5664 | EFV-150CL-2AVUEF

Ø 43 mm

Ionised case



4 549526 373978



5664 | EFV-150D-1AVUEF

Ø 43 mm



4 549526 374012



5664 | EFV-150D-2AVUEF

Ø 43 mm



4 549526 374036



5664 | EFV-150L-1AVUEF

Ø 43 mm




4 549526 373992



EDIFICE MODELS


5699 | EFV-C120D-1AEF

Ø 46 mm




5699 | EFV-C120D-2AEF

Ø 46 mm




5699 | EFV-C120D-3AEF

Ø 46 mm




5699 | EFV-C120L-8AEF

Ø 46 mm




5699 | EFV-C110D-1A3VEF

Ø 47 mm




5699 | EFV-C110D-1A4VEF

Ø 47 mm



5699 | EFV-C110L-1AVEF

Ø 47 mm






PRO TREK MODELS

5571 | PRW-6600YB-3ER

Ø 52 mm
Ionised bezel




5673 | PRW-6900Y-3ER

Ø 45 mm
Ionised case



5673 | PRW-61Y-3ER

Ø 47 mm
Ionised bezel



5732 | PRJ-B001-1ER

Ø 46 mm



NEW

5732 | PRJ-B001B-2ER

Ø 46 mm



NEW

PRO TREK MODELS

3490 | PRW-35-1AER

Ø 45 mm



- SOLAR POWERED
- RADIO CONTROLLED



- LED LIGHTS
- 1000 FT
- SOLAR POWERED
- RADIO CONTROLLED
- 2600/5,000
- 10/100°C
- 10,000 m
- ALTI MEMO
- 1000 HR
- 1/10
- 1 MIN
- 24 HR
- SUPER SNOOZE
- MUTE
- 24
- MINERAL GLASS
- R/B/O
- R/B/O
- R/B/O
- 10 BAR

3490 | PRW-35Y-1BER

Ø 45 mm



- SOLAR POWERED
- RADIO CONTROLLED



- LED LIGHTS
- 1000 FT
- SOLAR POWERED
- RADIO CONTROLLED
- 2600/5,000
- 10/100°C
- 10,000 m
- ALTI MEMO
- 1000 HR
- 1/10
- 1 MIN
- 24 HR
- SUPER SNOOZE
- MUTE
- 24
- MINERAL GLASS
- R/B/O
- R/B/O
- R/B/O
- 10 BAR

3490 | PRW-30-1AER

Ø 45 mm



- SOLAR POWERED
- RADIO CONTROLLED



- LED LIGHTS
- 1000 FT
- SOLAR POWERED
- RADIO CONTROLLED
- 2600/5,000
- 10/100°C
- 10,000 m
- ALTI MEMO
- 1000 HR
- 1/10
- 1 MIN
- 24 HR
- SUPER SNOOZE
- MUTE
- 24
- MINERAL GLASS
- R/B/O
- R/B/O
- R/B/O
- 10 BAR

PRT-B50 with smartphone link

The PRT-B50 pairs with your smartphone via Bluetooth® to add even more ease of use to the outdoor experience. Owing to compass bearing, altimeter, temperature sensor, step counter and more, the PRT-B50 provides adventurers with the full range of information. All data may be stored via smartphone app so that a detailed route log is created – thanks to the Location Indicator, finding your way home has never been easier.



5601 | PRT-B50-1ER

Ø 51 mm

Step Tracker



- CASIO WATCHES



- Bluetooth
- 1000 FT
- NEO MODELS
- 2600/5,000
- 10/100°C
- DISTANCE
- LOG
- 10,000 m
- ALTI MEMO
- 1892
- 1000 HR
- 1/100
- 1 MIN
- 24 HR
- MUTE
- PHONE FINDER
- 24
- MINERAL GLASS
- R/B/O
- R/B/O
- BATT
- 2 yrs
- 10 BAR

PRO TREK MODELS

3415 | PRG-270-1ER

Ø 52 mm



SOLAR POWERED



4 971850 919742



3513 | PRG-340-1ER

Ø 52 mm



SOLAR POWERED



4 549526 328077



3513 | PRG-340-3ER

Ø 52 mm



SOLAR POWERED



4 549526 328121



3513 | PRG-340T-7ER

Ø 52 mm



SOLAR POWERED



4 549526 328176



SHEEN MODELS

SHEEN


Feminine understatement

This range, by stylish design, trendy accent and precision workmanship puts down a marker for superior, feminine understatement in watch matters. Crafted with utmost care, SHEEN will make an impression owing to exquisite materials.

2718 | SHE-4554GYM-8AUEF

Ø 30 mm

Ionised case and band
Sapphire crystal



2718 | SHE-4554PGM-4AUEF

Ø 30 mm

Ionised case and band
Sapphire crystal



2364 | SHE-3517PGL-9AUEF

Ø 35 mm

Ionised case
Sapphire crystal



RADIO-CONTROLLED WATCH MODELS

CASIO RADIO-CONTROLLED WATCHES

Radio-controlled solar powered watches

Super slim and state-of-the-art: radio-controlled watches with solid titan wristband and casing, which can keep up with the height of technology thanks to environmentally friendly Tough Solar technology and signal reception in Europe, the USA, Japan and China.

5161 | **LCW-M170TD-1AER**

Ø 40 mm
Sapphire crystal
Titanium



5161 | **LCW-M170TD-2AER**

Ø 40 mm
Sapphire crystal
Titanium



5161 | **LCW-M170TD-7AER**

Ø 40 mm
Sapphire crystal
Titanium



5161 | **LCW-M170D-1AER**

Ø 40 mm
Sapphire crystal



5161 | **LCW-M170D-2AER**

Ø 40 mm



5161 | **LCW-M170DB-1AER**


Ø 40 mm
Ionised case
and band
Sapphire crystal



RADIO-CONTROLLED WATCH MODELS


5161 | LCW-M100TSE-1A2ER

Ø 40 mm
Sapphire crystal
Titanium



5161 | LCW-M100TSE-1AER

Ø 40 mm
Sapphire crystal
Titanium



5161 | LCW-M100DSE-1AER

Ø 40 mm
Sapphire crystal



5161 | LCW-M100DSE-2AER

Ø 40 mm
Sapphire crystal



5110 | WVA-M650TD-1AER

Ø 44 mm
Titanium



5110 | WVA-M650D-1AER

Ø 44 mm



5110 | WVA-M650D-2AER

Ø 44 mm



RADIO-CONTROLLED WATCH MODELS

3476 | WV-58R-1AEF

Ø 44 mm



RADIO CONTROLLED



4 549526 305863



3476 | WV-58RD-1AEF

Ø 44 mm



RADIO CONTROLLED



4 549526 305832



3476 | WV-59R-1AEF

Ø 39 mm



RADIO CONTROLLED



4 549526 305801



3476 | WV-59RD-1AEF

Ø 39 mm



RADIO CONTROLLED



4 549526 305788



CASIO VINTAGE COLLECTION MODELS

CASIO VINTAGE COLLECTION

Fashion and lifestyle in a classic design — now with Bluetooth®

The ABL-100 combines a stylish look and innovative technology in one watch. The built in step tracker counts the daily activity and helps to achieve personal fitness goals. Thanks to the smartphone link, all activities are clearly displayed and analysed in the CASIO WATCHES app. Time adjustments will be done automatically. All ABL-100 settings can be made intuitively on the smartphone. Vintage has never been so easy.




3565 | **ABL-100WE-1AEF**

Ø 38 mm
Step Tracker



NEW




3565 | **ABL-100WE-1BEF**

Ø 38 mm
Step Tracker



NEW



CASIO VINTAGE COLLECTION MODELS

3565 | **ABL-100WEGG-1BEF**


Ø 38 mm
Ionised band
Step Tracker



Bluetooth CASIO WATCHES



NEW



3565 | **ABL-100WEG-9AEF**


Ø 38 mm
Ionised band
Step Tracker



Bluetooth CASIO WATCHES



NEW



3503 | **A1100B-1EF**

Ø 35 mm
Ionised case
and band



3503 | **A1100D-1EF**

Ø 35 mm



3503 | **A1100G-5EF**

Ø 35 mm
Ionised case
and band



3479 | **A1000D-7EF**

Ø 38 mm



3479 | **A1000M-1BEF**

Ø 38 mm



CASIO VINTAGE COLLECTION MODELS

3479 | **A1000MA-7EF**

Ø 38 mm



3479 | **A1000MGA-5EF**

Ø 38 mm
Ionised case
and band



3472 | **A700WEMG-9AEF**

Ø 36 mm
Ionised band



3472 | **A700WEM-7AEF**

Ø 36 mm



3472 | **A700WE-1AEF**

Ø 36 mm



3472 | **A700WEV-7AEF**

Ø 36 mm



3472 | **A700WEVG-9AEF**

Ø 36 mm
Ionised band



CASIO VINTAGE COLLECTION MODELS

3298 | **A168WEHA-9AEF**

Ø 36 mm



3298 | **A168WEHB-1AEF**

Ø 36 mm
Ionised band



3298 | **A168XES-1BEF**

Ø 36 mm



3298 | **A168XESG-9AEF**

Ø 36 mm



3298 | **A168WEM-1EF**

Ø 36 mm



3298 | **A168WEM-2BEF**

Ø 36 mm



3298 | **A168WEM-2EF**

Ø 36 mm



3298 | **A168WEM-7EF**

Ø 36 mm



CASIO VINTAGE COLLECTION MODELS

3298 | **A168WEGB-1BEF**

Ø 36 mm
Ionised band



3298 | **A168WEGG-1BEF**

Ø 36 mm
Ionised band



3298 | **A168WEMB-1BEF**

Ø 36 mm
Ionised band



3298 | **A168WG-9EF**

Ø 36 mm
Ionised band



3298 | **A168WA-3AYES**

Ø 36 mm



3298 | **A168WA-5AYES**

Ø 36 mm



3298 | **A168WA-8AYES**

Ø 36 mm



3298 | **A168WA-1YES**

Ø 36 mm



CASIO VINTAGE COLLECTION MODELS

593 | **A158WEA-1EF**

Ø 33 mm



593 | **A158WEA-9EF**

Ø 33 mm



593 | **A158WETB-1AEF**

Ø 33 mm

Ionised band



593 | **A158WETG-9AEF**

Ø 33 mm

Ionised band



593 | **A159WGEA-1EF**

Ø 33 mm

Ionised band



593 | **A164WA-1VES**

Ø 35 mm



593 | **A163WA-1QES**

Ø 33 mm



CASIO VINTAGE COLLECTION MODELS

3294 | **B640WD-1AVEF**

Ø 35 mm



3294 | **B640WC-5AEF**

Ø 35 mm
Ionised band



3294 | **B640WB-1BEF**

Ø 35 mm
Ionised band



593 | **A171WEMG-9AEF**

Ø 37 mm
Ionised band



593 | **A171WEG-9AEF**

Ø 37 mm
Ionised band



593 | **A171WE-1AEF**

Ø 37 mm



CASIO VINTAGE COLLECTION MODELS

A100: a true vintage icon

The A100 Series is tribute to the F-100 which made its debut in 1978. It was worn, among others, by the protagonist Ripley in the film "Alien" starring Sigourney Weaver. The new edition features a metal colored case and metal band.

3503 | A100WE-7BEF

Ø 33 mm



3503 | A100WEF-3AEF

Ø 33 mm



3503 | A100WEF-8AEF

Ø 33 mm



5696 | AQ-800E-1AEF

Ø 32 mm



5696 | AQ-800E-3AEF

Ø 32 mm



5696 | AQ-800E-7AEF

Ø 32 mm



CASIO VINTAGE COLLECTION MODELS

5696 | **AQ-800E-7A2EF**

Ø 32 mm



5696 | **AQ-800EG-9AEF**

Ø 32 mm
Ionised band



5696 | **AQ-800EB-2AEF**

Ø 32 mm
Ionised band



5696 | **AQ-800EC-2AEF**

Ø 32 mm



5696 | **AQ-800ECGG-3AEF**

Ø 32 mm
Ionised band



5154 | **AQ-230EGG-2AEF**

Ø 30 mm
Ionised band



5154 | **AQ-230EGG-3AEF**

Ø 30 mm
Ionised band



1301 | **AQ-230GA-5AMQYES**

Ø 30 mm
Ionised band



CASIO VINTAGE COLLECTION MODELS

5154 | AQ-230A-7AMQYES

Ø 30 mm



4 549526 365959



5154 | AQ-230A-2A1MQYES

Ø 30 mm



4 549526 365874



1301 | AQ-230A-1DMQYES

Ø 28 mm



4 971850 437598



1301 | AQ-230A-7DMQYES

Ø 28 mm



4 971850 437611



1301 | AQ-230GA-9DMQYES

Ø 28 mm
Ionised band



4 971850 437628



3558 | CA-500WEGG-1BEF

Ø 34 mm
Ionised band



4 549526 355899



3558 | CA-500WEGG-9BEF

Ø 34 mm
Ionised band



4 549526 367571



3558 | CA-500WE-1AEF

Ø 34 mm



4 549526 355851



CASIO VINTAGE COLLECTION MODELS

3558 | CA-500WE-4BEF

Ø 34 mm



3558 | CA-500WE-7BEF

Ø 34 mm



3558 | CA-500WEG-1AEF

Ø 34 mm

Ionised band



3208 | CA-53W-1ER

Ø 34 mm



3208 | CA-53WF-1BEF

Ø 34 mm



2888 | DBC-32-1AES

Ø 37 mm



2888 | DBC-32D-1AES

Ø 37 mm



CASIO VINTAGE COLLECTION MODELS

3284 | LA680WEA-7EF

Ø 29 mm



3284 | LA680WEGA-9ER

Ø 29 mm
Ionised band



3284 | LA680WEL-8EF

Ø 29 mm



3191 | LA670WEA-1EF

Ø 25 mm



3191 | LA670WEA-4A2EF

Ø 25 mm



3191 | LA670WEA-7EF

Ø 25 mm



3191 | LA670WEA-8AEF

Ø 25 mm




3191 | LA670WES-4AEF

Ø 25 mm



3191 | LA670WEGA-1EF


Ø 25 mm
Ionised band



CASIO VINTAGE COLLECTION MODELS

3191 | LA670WEGA-9EF

Ø 25 mm
Ionised band




3191 | LA670WEM-7EF

Ø 25 mm



3191 | LA670WEMY-9EF

Ø 25 mm
Ionised band



3191 | LA700WEM-3AEF

Ø 26 mm



3191 | LA700WEM-4AEF

Ø 26 mm



3191 | LA700WE-4AEF

Ø 26 mm




3191 | LA700WE-7AEF

Ø 26 mm



3191 | LA700WEG-9AEF

Ø 26 mm
Ionised band




CASIO TIMELESS COLLECTION

MEN'S

3562 | WS-1700H-1AVEF

Ø 49 mm



3562 | WS-1700H-5AVEF

Ø 49 mm



3518 | WS-1500H-1AVEF

Ø 50 mm



3518 | WS-1500H-3BVEF

Ø 50 mm



3518 | WS-1500H-5BVEF

Ø 50 mm



CASIO TIMELESS COLLECTION MODELS

3502 | AE-1500WH-1AVEF

Ø 51 mm




3502 | AE-1500WH-8BVEF

Ø 51 mm




3198 | AE-1000W-1AVEF

Ø 44 mm



3299 | AE-1200WH-1AVEF

Ø 42 mm



3299 | AE-1200WH-1CVEF

Ø 42 mm



3299 | AE-1200WHD-1AVEF

Ø 42 mm



5208 | AQ-S810W-1AVEF

Ø 47 mm



CASIO TIMELESS COLLECTION MODELS

5208 | AQ-S800W-1BVEF

Ø 42 mm



SOLAR POWERED



3092 | W-800H-1AVES

Ø 37 mm



3092 | W-800H-1BVES

Ø 37 mm



3092 | W-800H-2AVES

Ø 37 mm



F-91WB featuring bio-based resin band

These lightweight and thin F-91WB digital watches feature a simple face design with minimal functional indications. The band are made of bio-mass resin, which supports to reduce environmental impacts.

593 | F-91WB-1AEF

Ø 35 mm



593 | F-91WB-2A1EF

Ø 35 mm



593 | F-91WB-7AEF

Ø 35 mm



593 | F-91WB-8AEF

Ø 35 mm



CASIO TIMELESS COLLECTION MODELS

593 | F-91W-1YEG

Ø 33 mm



1275 | F-105W-1AWYEF

Ø 39 mm



3294 | W-202-1AVEF

Ø 35 mm



3224 | W-218H-1AVEF

Ø 43 mm



3224 | W-218H-3AVEF

Ø 43 mm



3224 | W-218HM-7AVEF

Ø 43 mm



3224 | W-218HM-5BVEF

Ø 43 mm



3517 | MWD-110H-8AVEF

Ø 47 mm



3517 | MWD-110HB-1BVEF

Ø 47 mm



CASIO TIMELESS COLLECTION MODELS

3224 | W-219HB-3AVEF

Ø 47 mm



590 | W-59-1VQES

Ø 34 mm



MQ-24B featuring bio-based resin band

The new MQ-24B models are based on the thin 3-hand MQ-24. The minimalist look is achieved by simple hour markers and color schemes that reduce the number of hues being used. The band are made of bio-mass resin, which supports to reduce environmental impacts.

1330 | MQ-24B-1BEF

Ø 35 mm



1330 | MQ-24B-3BEF

Ø 35 mm



1330 | MQ-24B-7BEF

Ø 35 mm



1330 | MQ-24B-8BEF

Ø 35 mm



1330 | MQ-24B-9BEF

Ø 35 mm



CASIO TIMELESS COLLECTION MODELS

1330 | MQ-24-1B1LEG

Ø 34 mm



1330 | MQ-24-7B2LEG

Ø 34 mm



1330 | MQ-24-7B1LEG

Ø 34 mm



1330 | MW-240-1E2VEF

Ø 44 mm



1330 | MW-240-1EVEF

Ø 44 mm



1330 | MW-240-7EVEF

Ø 44 mm



5125 | MRW-200H-1BVEG

Ø 45 mm



5125 | MRW-200HD-1BVEF

Ø 45 mm



CASIO TIMELESS COLLECTION MODELS

2784 | MDV-107D-1A1VEF

Ø 46 mm



4 549526 358883



2784 | MDV-107D-3AVEF

Ø 46 mm



4 549526 358944



2784 | MDV-107-1A1VEF

Ø 44 mm



4 549526 323973



2784 | MDV-107-1A2VEF

Ø 44 mm



4 549526 323980



2784 | MDV-107-1A3VEF

Ø 44 mm



4 549526 323997



2784 | MTD-1053D-1AVES

Ø 43 mm



4 971850 440987



2784 | MTD-1053D-2AVES

Ø 43 mm



4 971850 477792



20 BAR

2784 | MDV-10C-1A2VEF

Ø 39 mm



4 549526 360947



2784 | MDV-10D-1A1VEF

Ø 39 mm



4 549526 360961



CASIO TIMELESS COLLECTION MODELS

2784 | MDV-10-1A1VEF

Ø 39 mm



2784 | MDV-10-1A2VEF

Ø 39 mm



3744 | MTP-M305L-1AVER

Ø 34 mm



3744 | MTP-M305M-1AVER

Ø 34 mm



3744 | MTP-M305M-8AVER

Ø 34 mm



4393 | MTP-B145D-2A2VEF

Ø 35 mm



4393 | MTP-B145D-3AVEF

Ø 35 mm



4393 | MTP-B145D-4A2VEF

Ø 35 mm



CASIO TIMELESS COLLECTION MODELS

4393 | MTP-B145D-4AVEF

Ø 35 mm



4 549526 360824



4393 | MTP-B145D-9AVEF

Ø 35 mm



4 549526 371424



4393 | MTP-B145G-9AVEF

Ø 35 mm
Ionised case
and band



4 549526 360763



4393 | MTP-B145D-7BVEF

Ø 35 mm



4 549526 360848



5374 | MTP-1375PD-2A1VEF

Ø 44 mm



4 549526 382642



NEW

5374 | MTP-1375PD-2A2VEF

Ø 44 mm



4 549526 382659



NEW

5374 | MTP-1375PD-3AVEF

Ø 44 mm



4 549526 382666



NEW

2784 | MTP-1302PGC-3AVEF

Ø 39 mm
Ionised case
and band



4 549526 394485



NEW

2784 | MTP-1302PGC-5AVEF

Ø 39 mm
Ionised case
and band



4 549526 394492



NEW

CASIO TIMELESS COLLECTION MODELS

2784 | MTP-1302PE-2AVEF

Ø 39 mm



4 549526 382543

NEW



2784 | MTP-1302PE-4AVEF

Ø 39 mm



4 549526 382550

NEW



2784 | MTP-1302PD-4AVEF

Ø 39 mm



4 549526 371158



2784 | MTP-1302PD-6AVEF

Ø 39 mm



4 549526 371165



2784 | MTP-1302PD-9AVEF

Ø 39 mm



4 549526 371172



2784 | MTP-1302PD-2AVEF

Ø 39 mm



4 549526 207921



2784 | MTP-1302PD-3AVEF

Ø 39 mm



4 549526 343551



2784 | MTP-1302PD-1A1VEF

Ø 39 mm



4 971850 070344



2784 | MTP-1302PD-7A1VEF

Ø 39 mm



4 971850 070351



CASIO TIMELESS COLLECTION MODELS

2784 | MTP-1302PSG-7AVEF

Ø 39 mm
Ionised band



4 971850 070399



2784 | MTP-1302PGL-9AVEF

Ø 39 mm
Ionised case



4 549526 382529

NEW



2784 | MTP-1302PL-5AVEF

Ø 39 mm



4 549526 382536

NEW



2784 | MTP-1302PL-7BVEF

Ø 39 mm



4 971850 070382



1330 | MTP-1303PD-1AVEG

Ø 40 mm



4 549526 340734



1330 | MTP-1303PD-2AVEG

Ø 40 mm



4 549526 340741



CASIO TIMELESS COLLECTION MODELS

2784 | MTP-1314PD-1AVEF

Ø 45 mm



4 971850 070528



2784 | MTP-1314PL-7AVEF

Ø 45 mm



4 971850 070535



2784 | MTP-1314PL-8AVEF

Ø 45 mm



4 971850 070542



2784 | MTP-1259PD-7BEG

Ø 38 mm



4 549526 340703



2784 | MTP-1221A-1AVEG

Ø 39 mm



4 549526 287466



1332 | MTP-1183PA-1AEG

Ø 39 mm



4 549526 340680



CASIO TIMELESS COLLECTION MODELS

CASIO TIMELESS COLLECTION WOMEN'S

3284 | LA-20WH-2AEF

Ø 30 mm



WR

3284 | LA-20WH-4AEF

Ø 30 mm



WR

3284 | LA-20WHS-2AEF

Ø 30 mm



WR

3284 | LA-20WHS-4AEF

Ø 30 mm



WR

593 | F-91WS-2EF

Ø 33 mm



WR

593 | F-91WS-4EF

Ø 33 mm



WR

593 | F-91WS-7EF

Ø 33 mm



WR

CASIO TIMELESS COLLECTION MODELS

3455 | LW-203-1BVEF

Ø 35 mm



3455 | LW-203-2AVEF

Ø 35 mm



3294 | LW-204-1BEF

Ø 35 mm




3294 | LW-204-4AEF

Ø 35 mm



3440 | STL-S300H-1AEF

Ø 36 mm



2575 | STR-300C-1VEF

Ø 35 mm



NEW

2575 | STR-300-1CEG

Ø 35 mm



NEW

2575 | STR-300-7EG

Ø 35 mm



NEW

CASIO TIMELESS COLLECTION MODELS

3363 | LRW-200HS-2EVEF

Ø 34 mm



3363 | LRW-200HS-4EVEF

Ø 34 mm



3363 | LRW-200HS-7EVEF

Ø 34 mm



3363 | LTP-1302PD-1A1VEG

Ø 30 mm



3363 | LTP-1302PD-7A1VEG

Ø 30 mm



3363 | LTP-1302PD-7BVEG

Ø 30 mm



3363 | LTP-1302PSG-7AVEG

Ø 30 mm

Ionised band



1331 | LTP-1141PA-7BEG

Ø 30 mm



CASIO TIMELESS COLLECTION MODELS

1330 | LTP-1154PQ-7BEG

Ø 23 mm



3363 | LTP-1259PD-7BEG

Ø 28 mm



1330 | LTP-1263PG-7BEG

Ø 27 mm



LQ-24B featuring bio-based resin band

The new LQ-24B series features in a flat 3-hand design in eye-catching colours. The bracelets are made from sustainable bio-resin to support our environment.

1330 | LQ-24B-1BEF

Ø 32 mm



NEW

1330 | LQ-24B-2BEF

Ø 32 mm



NEW

1330 | LQ-24B-3BEF

Ø 32 mm



NEW

1330 | LQ-24B-4BEF

Ø 32 mm



NEW

1330 | LQ-24B-7BEF

Ø 32 mm



NEW

CASIO TIMELESS COLLECTION MODELS

5361 | LTP-B165GL-2BVEF

Ø 25 mm
Ionised case



4 549526 368592

ACRYL GLASS SOLID SS IP CASE GL 3 yrs. 5 BAR

5361 | LTP-B165L-5BVEF

Ø 25 mm



4 549526 368615

ACRYL GLASS SOLID SS GL 3 yrs. 5 BAR

5361 | LTP-B150D-7BEF

Ø 22 mm



4 549526 364280

MINERAL GLASS SOLID SS IP PUSH 3 yrs. WR

5361 | LTP-B150L-7B1EF

Ø 22 mm



4 549526 364297

ACRYL GLASS SOLID SS GL 3 yrs. WR

5361 | LTP-B150L-7B2EF

Ø 22 mm



4 549526 364303

ACRYL GLASS SOLID SS GL 3 yrs. WR

1330 | LTP-1234PD-7BEG

Ø 21 mm



4 549526 340895

MINERAL GLASS BR SS IP PUSH 3 yrs. WR

1330 | LTP-1234PG-7AEG

Ø 21 mm



4 549526 340901

MINERAL GLASS BR SS IP PUSH 3 yrs. WR

1330 | LTP-1234PSG-7AEG

Ø 21 mm



4 549526 340925

MINERAL GLASS BR SS IP PUSH 3 yrs. WR

CASIO TIMELESS COLLECTION MODELS

1330 | LTP-1234PGL-7A2EF

Ø 21 mm



1330 | LTP-1234PGL-7AEG

Ø 21 mm



1330 | LTP-1234PL-7A2EF

Ø 21 mm



1330 | MQ-38UC-2A2ER

Ø 27 mm




1330 | MQ-38UC-4AER

Ø 27 mm



WAKE UP TIMER



TQ-140 alarm clock set:

The clock set contains 12 TQ-140 models in a package. 6 black/black, 2 black/white and 4 white alarm clocks will be delivered in an eye-catching dispenser.

TQ-140WECKPAKET2



4 549526 333415

TQ-140-1EF

Width: 57 mm



TQ-140-1BEF

Width: 57 mm



TQ-140-7EF

Width: 57 mm



WAKE UP TIMER MODELS

TQ-141-1EF

Width: 64 mm



TQ-141-8EF

Width: 64 mm



TQ-142-1EF

Width: 72 mm



TQ-143S-1EF

Width: 76 mm



TQ-218-2EF

Width: 107 mm



TQ-218-8EF

Width: 107 mm



TQ-369-7EF

Width: 130 mm



WAKE UP TIMER MODELS

DQ-747-8EF

Width: 96 mm



DQ-543B-1EF

Width: 96 mm



PQ-31-1EF

Width: 87 mm



PQ-31-8EF

Width: 87 mm



HS-3 | HS-3V-1RET

Ø 64 mm



HS-80 | HS-80TW-1EF

Ø 64 mm



Model	Page	Model	Page	Model	Page	Model	Page	Model	Page
A		AQ-230EGG-3AEF	64	ECB-2000DC-1BEF	35	EFS-S630BL-5AVUEF	39	GA-100-1A4ER	16
A1000D-7EF	57	AQ-230GA-5AMQYES	64	ECB-2000DD-1AEF	35	EFS-S630D-1AVUEF	39	GA-100B-4AER	16
A1000M-1BEF	57	AQ-230GA-9DMQYES	65	ECB-2200CB-2AEF	34	EFS-S630DC-2AVUEF	39	GA-100B-7AER	16
A1000MA-7EF	58	AQ-800E-1AEF	63	ECB-2200DC-1AEF	34	EFS-S640D-1AVUEF	39	GA-100MF-1AER	16
A1000MGA-5EF	58	AQ-800E-3AEF	63	ECB-2200DD-1AEF	34	EFS-S640DC-1AVUEF	39	GA-100TU-1A3ER	16
A100WE-7BEF	63	AQ-800E-7A2EF	64	ECB-2200P-1AEF	34	EFS-S640PB-1AVUEF	39	GA-110-1BER	15
A100WEF-3AEF	63	AQ-800E-7AEF	63	ECB-30D-1AEF	37	EFV-100D-1AVUEF	47	GA-110CD-1A2ER	15
A100WEF-8AEF	63	AQ-800EB-2AEF	64	ECB-30D-2AEF	37	EFV-100D-2AVUEF	47	GA-110CD-1A3ER	16
A1100B-1EF	57	AQ-800EC-2AEF	64	ECB-30DB-1A9EF	37	EFV-100D-2BVUEF	46	GA-110GB-1AER	15
A1100D-1EF	57	AQ-800ECGG-3AEF	64	ECB-30P-1AEF	37	EFV-100D-8AVUEF	46	GA-110MF-1AER	15
A1100G-5EF	57	AQ-800EG-9AEF	64	ECB-40DC-1AEF	36	EFV-100D-9AVUEF	46	GA-110TU-1A5ER	15
A158WEA-1EF	61	AQ-S800W-1BVEF	71	ECB-40MP-1AEF	36	EFV-150CL-2AVUEF	47	GA-140-1A1ER	18
A158WEA-9EF	61	AQ-S810W-1AVEF	70	ECB-40P-1AEF	36	EFV-150D-1AVUEF	47	GA-140-6AER	18
A158WETB-1AEF	61	AWG-M100A-1AER	17	ECB-40PB-1AEF	36	EFV-150D-2AVUEF	47	GA-2100-1A1ER	9
A158WETG-9AEF	61	AWG-M100B-1AER	17	ECB-900DB-1AER	37	EFV-150L-1AVUEF	47	GA-2100-1A2ER	9
A159WGEA-1EF	61	AWG-M100SB-2AER	17	ECB-900DB-1BER	38	EFV-540D-1A2VUEF	46	GA-2100-1A3ER	9
A163WA-1QES	61	B		ECB-900MP-1AEF	38	EFV-540D-1AVUEF	46	GA-2100-1A4ER	10
A164WA-1VES	61	B640WB-1BEF	62	ECB-950DB-1AEF	38	EFV-540DC-1CVUEF	46	GA-2100-1AER	9
A168WA-1YES	60	B640WC-5AEF	62	ECB-950DB-2AEF	38	EFV-550GY-8AVUEF	45	GA-2100-2A2ER	10
A168WA-3AYES	60	B640WD-1AVEF	62	ECB-950DC-1AEF	38	EFV-550P-1AVUEF	45	GA-2100-4AER	10
A168WA-5AYES	60	BA-110X-1AER	32	ECB-950MP-1AEF	38	EFV-560D-1AVUEF	45	GA-2100-7A7ER	10
A168WA-8AYES	60	BA-110X-7A1ER	32	EF-129D-1AVEF	46	EFV-560D-2AVUEF	45	GA-2100-9A9ER	10
A168WEGB-1BEF	60	BA-130-7A1ER	32	EF-129D-2AVEF	46	EFV-600D-2AVUEF	45	GA-2100BCE-1AER	9
A168WEGG-1BEF	60	BGD-5650-1ER	33	EF-527D-1AVEF	44	EFV-610D-1AVUEF	45	GA-2100FF-8AER	10
A168WEHA-9AEF	59	BGD-5650-7ER	33	EF-527D-2AVUEF	44	EFV-610D-3CVUEF	45	GA-2100GB-1AER	11
A168WEHB-1AEF	59	BGD-565U-1ER	33	EF-527D-3AVUEF	44	EFV-610D-5CVUEF	45	GA-2100RC-1AER	9
A168WEM-1EF	59	BGD-565U-4ER	33	EF-539D-1AVEF	43	EFV-620D-1A2VUEF	44	GA-2100RW-1AER	8
A168WEM-2BEF	59	BGD-565U-7ER	33	EFB-108D-1AVUEF	41	EFV-620D-1A4VUEF	44	GA-2100SB-1AER	11
A168WEM-2EF	59	BGD-565US-7ER	33	EFB-108D-7AVUEF	41	EFV-620D-2AVUEF	44	GA-2100SKE-7AER	8
A168WEM-7EF	59	C		EFB-710D-1AVUEF	40	EFV-620L-1AVUEF	44	GA-2100SU-1AER	11
A168WEMB-1BEF	60	CA-500WE-1AEF	65	EFB-710D-2AVUEF	40	EFV-640D-1AVUEF	44	GA-2100TL-7AER	8
A168WG-9EF	60	CA-500WE-4BEF	66	EFB-710D-7AVUEF	40	EFV-640DC-3AVUEF	44	GA-2100WS-7AER	8
A168XES-1BEF	59	CA-500WE-7BEF	66	EFB-730D-1AVUEF	40	EFV-C110D-1A3VEF	48	GA-2110ET-8AER	11
A168XESG-9AEF	59	CA-500WEG-1AEF	66	EFB-730D-2AVUEF	40	EFV-C110D-1A4VEF	48	GA-2110SU-3AER	11
A171WE-1AEF	62	CA-500WEGG-1BEF	65	EFB-730D-7AVUEF	40	EFV-C110L-1AVEF	48	GA-2300-1AER	19
A171WEG-9AEF	62	CA-500WEGG-9BEF	65	EFR-526D-1AVUEF	43	EFV-C120D-1AEF	48	GA-2300-4AER	19
A171WEMG-9AEF	62	CA-53W-1ER	66	EFR-526D-2AVUEF	43	EFV-C120D-2AEF	48	GA-2300-7AER	19
A700WE-1AEF	58	CA-53WF-1BEF	66	EFR-526D-3AVUEF	43	EFV-C120D-3AEF	48	GA-700-1BER	19
A700WEM-7AEF	58	D		EFR-526L-1AVUEF	43	EFV-C120L-8AEF	48	GA-700BCE-1AER	18
A700WEMG-9AEF	58	DBC-32-1AES	66	EFR-526L-2CVUEF	43	EQB-1100D-1AER	35	GA-700MF-1AER	18
A700WEV-7AEF	58	DBC-32D-1AES	66	EFR-539D-1A2VUEF	43	EQS-940NL-1AVUEF	41	GA-710GB-1AER	19
A700WEVG-9AEF	58	DQ-543B-1EF	89	EFR-552D-1A2VUEF	42	F		GA-710TU-1A3ER	19
ABL-100WE-1AEF	56	DQ-747-8EF	89	EFR-552D-1AVUEF	42	F-105W-1AWYEF	72	GA-B001-1AER	15
ABL-100WE-1BEF	56	DW-5600BCE-1ER	13	EFR-552D-2AVUEF	42	F-91W-1YEG	72	GA-B2100-1A1ER	7
ABL-100WEG-9AEF	57	DW-5600EP-4ER	13	EFR-552L-5AVUEF	42	F-91WB-1AEF	71	GA-B2100-1AER	7
ABL-100WEGG-1BEF	57	DW-5600FF-8ER	13	EFR-556D-1AVUEF	42	F-91WB-2A1EF	71	GA-B2100-2AER	7
AE-1000W-1AVEF	70	DW-5600RW-1ER	12	EFR-556DB-1AVUEF	42	F-91WB-7AEF	71	GA-B2100-3AER	8
AE-1200WH-1AVEF	70	DW-5600UBB-1ER	12	EFR-556DB-2AVUEF	42	F-91WB-8AEF	71	GA-B2100C-9AER	8
AE-1200WH-1CVEF	70	DW-5600UE-1ER	13	EFR-556L-1AVUEF	42	F-91WS-2EF	81	GA-B2100MF-1AER	7
AE-1200WHD-1AVEF	70	DW-6900U-1ER	21	EFR-571D-1AVUEF	42	F-91WS-4EF	81	GAW-100B-1AER	17
AE-1500WH-1AVEF	70	DW-H5600-1ER	23	EFR-574D-1AVUEF	41	F-91WS-7EF	81	GBA-800-1AER	27
AE-1500WH-8BVEF	70	DW-H5600-7ER	23	EFR-574D-2AVUEF	41	G		GBA-900-1AER	26
AQ-230A-1DMQYES	65	E		EFR-S108D-1AVUEF	41	GA-010-1AER	20	GBA-900-7AER	26
AQ-230A-2A1MQYES	65	ECB-10DB-1A9EF	37	EFR-S108D-2AVUEF	41	GA-010-2AER	20	GBA-900UU-3AER	26
AQ-230A-7AMQYES	65	ECB-2000CB-2AEF	35	EFR-S108D-3AVUEF	41	GA-010-5AER	20	GBA-900UU-5AER	26
AQ-230A-7DMQYES	65	ECB-2000D-1AEF	35	EFR-S108D-7AVUEF	41	GA-100-1A1ER	17	GBD-200-1ER	25
AQ-230EGG-2AEF	64	ECB-2000DC-1AEF	35	EFS-S510D-2AVUEF	39	GA-100-1A2ER	17	GBD-200-2ER	25

Model	Page	Model	Page	Model	Page	Model	Page	Model	Page
GBD-200-9ER	25	GMA-S2100BA-2A1ER	30	LQ-24B-3BEF	84	MTP-1302PD-2AVEF	78	STL-S300H-1AEF	82
GBD-200UU-9ER	25	GMA-S2100BA-2A2ER	30	LQ-24B-4BEF	84	MTP-1302PD-3AVEF	78	STR-300-1CEG	82
GBD-300-1ER	23	GMA-S2100BA-4AER	30	LQ-24B-7BEF	84	MTP-1302PD-4AVEF	78	STR-300-7EG	82
GBD-300-7ER	23	GMA-S2100GA-1AER	30	LRW-200HS-2EVEF	83	MTP-1302PD-6AVEF	78	STR-300C-1VEF	82
GBD-800-1BER	27	GMA-S2100GA-3AER	30	LRW-200HS-4EVEF	83	MTP-1302PD-7A1VEF	78	T	
GBD-800-8ER	27	GMA-S2100MD-1AER	30	LRW-200HS-7EVEF	83	MTP-1302PD-9AVEF	78	TQ-141-1EF	88
GBD-800UC-3ER	27	GMA-S2100MD-4AER	30	LTP-1141PA-7BEG	83	MTP-1302PE-2AVEF	78	TQ-141-8EF	88
GBD-800UC-5ER	27	GMA-S2100MD-7AER	30	LTP-1154PQ-7BEG	84	MTP-1302PE-4AVEF	78	TQ-142-1EF	88
GBD-800UC-8ER	27	GMA-S2100SK-2AER	31	LTP-1234PD-7BEG	85	MTP-1302PG-3AVEF	77	TQ-143S-1EF	88
GBD-H2000-1A9ER	22	GMA-S2100SK-7AER	31	LTP-1234PG-7AEG	85	MTP-1302PGC-5AVEF	77	TQ-218-2EF	88
GBD-H2000-1AER	22	GMD-S5600-1ER	31	LTP-1234PGL-7A2EF	86	MTP-1302PGL-9AVEF	79	TQ-218-8EF	88
GBM-2100-1AER	3	GMD-S5600-7ER	31	LTP-1234PGL-7AEG	86	MTP-1302PL-5AVEF	79	TQ-369-7EF	88
GBM-2100A-1A2ER	3	GW-5000U-1ER	12	LTP-1234PL-7A2EF	86	MTP-1302PL-7BVEF	79	W	
GBM-2100A-1A3ER	3	GW-7900B-1ER	21	LTP-1234PSG-7AEG	85	MTP-1302PSG-7AVEF	79	W-202-1AVEF	72
GBX-100-2AER	24	GW-B5600-2ER	14	LTP-1259PD-7BEG	84	MTP-1303PD-1AVEG	79	W-218H-1AVEF	72
GBX-100TT-8ER	24	GW-B5600BC-1BER	14	LTP-1263PG-7BEG	84	MTP-1303PD-2AVEG	79	W-218H-3AVEF	72
GD-010-1ER	21	GW-M5610U-1BER	13	LTP-1302PD-1A1VEG	83	MTP-1314PD-1AVEF	80	W-218HM-5BVEF	72
GD-010-3ER	21	GW-M5610U-1ER	13	LTP-1302PD-7A1VEG	83	MTP-1314PL-7AVEF	80	W-218HM-7AVEF	72
GD-010-4ER	21	GX-56BB-1ER	14	LTP-1302PD-7BVEG	83	MTP-1314PL-8AVEF	80	W-219HB-3AVEF	73
GD-B500-1ER	24	GX-56MF-1ER	14	LTP-1302PSG-7AVEG	83	MTP-1375PD-2A1VEF	77	W-59-1VQES	73
GD-B500-7ER	24	H		LTP-B150D-7BEF	85	MTP-1375PD-2A2VEF	77	W-800H-1AVES	71
GM-2100-1AER	6	HS-3V-1RET	89	LTP-B150L-7B1EF	85	MTP-1375PD-3AVEF	77	W-800H-1BVES	71
GM-2100B-3AER	6	HS-80TW-1EF	89	LTP-B150L-7B2EF	85	MTP-B145D-2A2VEF	76	W-800H-2AVES	71
GM-2100BB-1AER	5	L		LTP-B165GL-2BVEF	85	MTP-B145D-3AVEF	76	WS-1500H-1AVEF	69
GM-2100C-5AER	5	LA-20WH-2AEF	81	LTP-B165L-5BVEF	85	MTP-B145D-4A2VEF	76	WS-1500H-3BVEF	69
GM-2100CB-1AER	5	LA-20WH-4A1EF	81	LW-203-1BVEF	82	MTP-B145D-4AVEF	77	WS-1500H-5BVEF	69
GM-2100CB-3AER	5	LA-20WHS-2AEF	81	LW-203-2AVEF	82	MTP-B145D-7BVEF	77	WS-1700H-1AVEF	69
GM-2100G-1A9ER	6	LA-20WHS-4AEF	81	LW-204-1BEF	82	MTP-B145D-9AVEF	77	WS-1700H-5AVEF	69
GM-2100N-2AER	6	LA670WEA-1EF	67	LW-204-4AEF	82	MTP-B145G-9AVEF	77	WV-58R-1AEF	55
GM-2100RW-1AER	5	LA670WEA-4A2EF	67	M		MTP-M305L-1AVER	76	WV-58RD-1AEF	55
GM-2100WS-7AER	6	LA670WEA-7EF	67	MDV-10-1A1VEF	76	MTP-M305M-1AVER	76	WV-59R-1AEF	55
GM-2110D-2AER	4	LA670WEA-8AEF	67	MDV-10-1A2VEF	76	MTP-M305M-8AVER	76	WVA-M650D-1AER	54
GM-2110D-2BER	4	LA670WEGA-1EF	67	MDV-107-1A1VEF	75	MW-240-1E2VEF	74	WVA-M650D-2AER	54
GM-2110D-3AER	4	LA670WEGA-9EF	68	MDV-107-1A2VEF	75	MW-240-1EVEF	74	WVA-M650TD-1AER	54
GM-2110D-4AER	4	LA670WEM-7EF	68	MDV-107-1A3VEF	75	MW-240-7EVEF	74		
GM-2110D-7AER	4	LA670WEMY-9EF	68	MDV-107D-1A1VEF	75	MWD-110H-8AVEF	72		
GM-5600RW-1ER	12	LA670WES-4AEF	67	MDV-107D-3AVEF	75	MWD-110HB-1BVEF	72		
GM-5600U-1ER	12	LA680WEA-7EF	67	MDV-10C-1A2VEF	75	P			
GM-700-1AER	18	LA680WEGA-9ER	67	MDV-10D-1A1VEF	75	PQ-31-1EF	89		
GM-700G-9AER	18	LA680WEL-8EF	67	MQ-24-1BLLEG	74	PQ-31-8EF	89		
GM-S2100B-8AER	28	LA700WE-4AEF	68	MQ-24-7B2LEG	74	PRG-270-1ER	51		
GM-S2100PG-1A4ER	28	LA700WE-7AEF	68	MQ-24-7BLLEG	74	PRG-340-1ER	51		
GM-S2100PG-4AER	28	LA700WEG-9AEF	68	MQ-24B-1BEF	73	PRG-340-3ER	51		
GM-S2110-2AER	28	LA700WEM-3AEF	68	MQ-24B-3BEF	73	PRG-340T-7ER	51		
GM-S2110-3AER	28	LA700WEM-4AEF	68	MQ-24B-7BEF	73	PRJ-B001-1ER	49		
GM-S2110-4AER	28	LCW-M100DSE-1AER	54	MQ-24B-8BEF	73	PRJ-B001B-2ER	49		
GMA-P2100-4AER	29	LCW-M100DSE-2AER	54	MQ-24B-9BEF	73	PRT-B50-1ER	50		
GMA-P2100-7AER	29	LCW-M100TSE-1A2ER	54	MQ-38UC-2A2ER	86	PRW-30-1AER	50		
GMA-P2100BB-1AER	29	LCW-M100TSE-1AER	54	MQ-38UC-4AER	86	PRW-35-1AER	50		
GMA-P2100ST-4AER	29	LCW-M170D-1AER	53	MRW-200H-1BVEG	74	PRW-35Y-1BER	50		
GMA-P2100ST-7AER	29	LCW-M170D-2AER	53	MRW-200HD-1BVEF	74	PRW-61Y-3ER	49		
GMA-P2100ST-9AER	29	LCW-M170DB-1AER	53	MTD-1053D-1AVES	75	PRW-6600YB-3ER	49		
GMA-S140M-1AER	31	LCW-M170TD-1AER	53	MTD-1053D-2AVES	75	PRW-6900Y-3ER	49		
GMA-S140M-4AER	31	LCW-M170TD-2AER	53	MTP-1183PA-1AEG	80	S			
GMA-S140M-7AER	31	LCW-M170TD-7AER	53	MTP-1221A-1AVEG	80	SHE-3517PGL-9AUUF	52		
GMA-S2100-1AER	31	LQ-24B-1BEF	84	MTP-1259PD-7BEG	80	SHE-4554GYM-8AUUF	52		
GMA-S2100-4AER	31	LQ-24B-2BEF	84	MTP-1302PD-1A1VEF	78	SHE-4554PGM-4AUUF	52		

PICTOGRAMS

Functions

Module No. **5081 GA-100B-4AER** Model name

Ø 51 mm Width

* A battery is loaded at the factory for function testing. Because the product spends time in transit and on the shelf, you may have to replace the original battery much sooner than the normally rated battery life.

SMARTPHONE FEATURES

- Bluetooth®**
The watch is equipped with energy-saving Bluetooth® technology offering battery-saving data transfer at the touch of a button. Via Bluetooth® the watch can be connected to a smartphone without the use of a wire, thus allowing access to a large number of useful functions.
- Precise time via smartphone**
When the watch is connected with a smartphone, the time will be set automatically and show the local time everywhere in the world.
- Airplane Mode (Offline Mode)**
At the touch of a button, the watch switches to offline mode. This means that you can disable the wireless or GPS receiver when in the air for the duration of the flight.
- Incoming calls display**
When you receive a call on your smartphone, a notification will appear on the watch display.
- Incoming emails display**
When you receive an email, the sender will appear on the display.
- Phone finder**
Mislaidd your smartphone? With a simple press of a button on your watch, your smartphone will emit an alarm.

DISPLAY ILLUMINATION

- This watch has a display illumination. The display is illuminated with a backlight, an LED or an autom. LED Light.

CASE PROTECTION

- Shock-resistant**
Shock-resistant construction protects against impact and vibration.
- Magnetic-resistant**
Strong magnetic fields do not have a chance on this watch. The module shield saves the electronic and avoids any disturbance.
- Mud-resistant case**
Case and buttons are equipped with special seals to prevent the ingress of dust and mud.
- Frost-resistant**
This watch is fully functional even under frosty conditions.

SOLAR FUNCTION (TOUGH SOLAR)

- Solar Power**
Invisible solar cells in the watch convert light into energy and supply all functions. A rechargeable battery provides the necessary capacity for operation in poor light conditions.

RADIO SIGNAL RECEPTION

- Radio signal reception (EU, USA, Japan)**
A built-in radio signal receiver ensures that the exact time is displayed across much of Europe, the United States, and Japan. Watches with this symbol can pick up DCF, MSF, WWVB, and JYJ radio signals.
- Radio signal reception (EU, USA, Japan, China)**
A built-in radio signal receiver ensures that the exact time is displayed across much of Europe, the United States, Japan, and China. Watches with this symbol can pick up DCF, MSF, WWVB, JYJ, and BPC radio signals.

DISPLAY AND EDIT FUNCTIONS

- Duplex LC Display**
The dual-layer LCD allows compass graphics to be shown on the top layer, while the bottom layer offers a large display of the time and various measurements.
- Neobrite**
A luminous coating provides long-term illumination in the dark after only short exposure to light.

- Display flasher**
An LED flashes when the time has arrived for an alarm, a countdown, or an hourly signal.
- Speed display**
The average speed with respect to the distance covered can be measured. Simply enter the distance to your destination and press the stopwatch button during start and finish – and your average speed will appear on the display.

FITNESS FUNCTIONS

- Calorie consumption display**
This function calculates the calories you have used and stores the result in the memory.
- Heart rate target alarm**
An alarm sounds as soon as a preset heart rate zone is reached.
- Optical heart rate monitoring**
An optical sensor on the back of the watch case measures the heart rate on the wrist using light-emitting diodes (LEDs). The measured values are displayed on the watch.
- VO2max**
The VO2max value is an indicator for aerobic training and shows the individual fitness level of a person. A lower VO2max value is an indicator of a poorer fitness level, whereas a higher VO2max indicates a higher level of performance. Regular training can improve the VO2max value.
- VO2max recovery time**
Good training needs regeneration. In order to make the training as effective as possible, there is the display for the VO2max recovery time, which shows the recovery time required until your body has recovered from the previous training. Then the next session can start.
- Step tracker**
The step tracker function counts steps via acceleration sensor and shows them on the watch's display.
- Step tracker target 50.000**
The step tracker target function can define a goal within a range between 1,000 and 50,000 steps. It will remind users when the goal has been achieved.
- Training Planner**
The Training Planner supports your personal training goals and gives a signal by reaching predefined targets. For example, a specific calorie consumption or a certain work out time can be set in advance in order to control the work-out individually.
- Training Analysis**
This function shows training status, fitness level and training load as well as regeneration times. This information provides a good basis for planning further training sessions.
- Training Log**
A training log stores the number of steps, calorie consumption as well as distance and lap times and helps to compare training units.
- Lifelog Function**
Based on the number of steps, the watch calculates a calculatory calorie consumption and the distance covered.

OUTDOOR FUNCTIONS

- Barometer**
A built-in sensor measures the local air pressure and shows it on the display. This can be helpful, e.g. while hiking, to recognise weather trends at an early stage.
- Thermometer**
A built-in sensor measures the local temperature and indicates it on the display.
- Digital-compass**
A direction sensor measures the magnetic north and displays north on the watch, as well as the direction in which you are currently moving.
- Altimeter**
A built-in sensor measures the local air pressure and calculates the current altitude.
- Altitude addition**
The altitude addition function counts all the metres that have been ascended, giving you the difference between the starting and stopping altitude at a glance.
- Altimeter data memory**
Depending on the model, up to 40 sets of elevation data can be stored in the watch's data memory and re-accessed at any time. Each of these data sets consists of a measured altitude as well as the date and time. In addition to the individual altitudes, the maximum and minimum altitudes during a measurement are also stored.
- Moon phase indicator**
After entering the local data, the moon phase and moon age are dynamically displayed on the watch.
- Tide Graph**
After entering the local data, the tide graph will be dynamically displayed in an hourly cycle. This allows you to check the tides in order to plan your activity in advance.
- Acceleration sensor**
The motion sensor responds to acceleration and shows this as a speed on the display. The sensor also supports the auto rotation function of the watch, ensuring that the image is always displayed the right way up on the display.

Sunlight Indicator
After entering your local data such as date, time and location, the times for sunrise and sunset can be displayed for any other date.

GPS Speed & Distance
High-tech for demanding runners: The watch uses GPS technology to measure the current running speed and distance covered. All data are individually indicated on the display.

Fishing Timer
By using the moon phases, the watch can calculate the best times for fishing and displays them symbolically. This allows you to plan the best time for fishing is in advance.

Activity App
The watch has several workout modes that can be set in advance to individually evaluate and control the corresponding activity. For example, the "Swimming" mode focuses more on calorie consumption and distance, whereas the "Running" mode focuses on heart rate and speed.

CALCULATION FUNCTIONS

8-digit calculator
Various mathematical calculations using values up to eight digits long.

Currency converter
Foreign currency translations are calculated according to predefined exchange rates.

Slide rule function
By means of the slide rule function various calculations are possible, e.g. flight distance, speed, or fuel consumption. The slide rule function is mostly used on aviator watches.

SPECIAL TIME FUNCTIONS

World time
The world time function displays local times in up to 29 different time zones.

Dual time
Simultaneous display of the current time in two different time zones.

Dual time display
The dual time display allows you to read a second time at a single glance.

4 time zones display
Local times can be called up quickly and easily for four different time zones.

12/24-hour timekeeping
Times can be displayed in either a 12-hour or 24-hour format.

STOPWATCH FUNCTIONS

Stopwatch
Accurate measurement of elapsed time with the touch of a button.

Referee function (referee stop watch)
By using the referee function you can determine the amount of injury time. The actual amount of playing time and the total time is displayed simultaneously.

Lap memory
Up to 300 items of data comprising the date and lap times can be stored here for later retrieval.

COUNTDOWN TIMER

Countdown timer
Depending on the model, different times can be pre-set, which count down and give an alarm at the end.

Countdown Timer with automatic repeat
As soon as the countdown stopwatch reaches 0 minutes and 0 seconds and indicates this by emitting a signal tone, it automatically returns to the preset time value and begins counting backwards again. This function is particularly useful for people who need to take regular medication (e. g. every half hour).

Interval Timer
Up to nine individual countdown times can be defined and preset with this timer. This can be useful, for an interval training with e.g. 3 minutes of running, 2 minutes of walking and 1 minute of rest.

Yacht timer
The perfect prerequisite to every regatta and yacht race: The countdown start time can be set within a period of 1 to 10 minutes, usually 5 minutes. An audible signal sounds once after every elapsed minute. For the last ten seconds before the start, the signal sounds every second.

Schedule-Timer
Always keep an eye on appointments with the "Schedule Timer". The appointments from the smartphone calendar are transferred to the watch and shown on the display with the start and end times. In addition, these will appear on the watch 120 minutes before the start announced and counted down.

Preset timer
Allows you to call up and apply preset times for different kinds of sports.

ALARM

Daily alarm, hourly time signal
The daily alarm sounds each day at the time you set. The hourly time signal causes the watch to beep every hour on the hour.

Multi alarm, hourly time signal
A total of four different alarm types are available: 1. Daily alarm; 2. Monthly alarm; 3. Alarm for a particular time each day of a particular month; 4. Date alarm.

Snooze feature
Each time you stop the alarm, it sounds again after a few minutes.

Vibration alert
The vibration alarm discreetly reminds you of important appointments, without emitting a loud signal.

Bell alarm
A bell tone alarm sounds at the time you set.

SPECIAL FUNCTIONS

Automatic hand adjustment
The automatic hand adjustment function checks the home position of the hands every hour and corrects it if necessary – either by adjusting e.g. from shocks or using the influence of magnetism.

Hand moving function
With a push of a button, hands are moving and permit a free visibility of functions like stopwatch or date.

SMART ACCESS technology
The SMART ACCESS system allows the watch to be set quickly and intuitively with an electronic crown. Functions like the stopwatch, countdown timer, alarm and world time can easily be operated by pressing and turning the crown.

Button tone on/off
If desired, the button tone can be turned off with the mode button. When switching from one function to another, the beep tone won't be heard any more. Pre-set alarms or countdown timer are still active after turning-off the button tone.

Flight log memory
At the touch of a button, the current location including GPS data, time, and date are recorded in the flight log memory. This function may be very helpful, e.g. for pilots in order to document their deployments and display them on the map.

BATTERY

Battery level indicator
A battery indicator shows the charge status of the accu.

Low Battery Warning
A warning appears on the display whenever the battery power drops below a certain level.

Battery life
The number within the icon gives the approximate battery life in years, assuming normal usage.

CALENDAR

Full auto calendar
Allowances are made automatically for months of different lengths, in case date corrections for leap years are required.

Date display
Display of the current date with analogue watches.

Date and weekday display
Display of the date and day of the week with analogue watches.

Display of the day in different languages
The name of the day can be displayed in different languages.

GLASSES

Mineral glass
Hard glass resists scratching.

Sapphire crystal
This glass is made using artificial sapphires for high-clarity and a scratch-resistant surface.

Acrylic glass
The acrylic glass is particularly temperature- and impact-resistant.

Spherical glass
The surface of the glass is rounded.

SPECIAL FEATURES



















Screw lock crown

USB Charger














Carbon dial

PICTOGRAMS





CASE

-  Solid stainless steel case
-  Stainless steel resin case
-  Resin case
-  Titanium resin case
-  Solid titanium case
-  Brass case
-  Carbon fiber case
-  Carbon-reinforced resin casing
-  Carbon-reinforced stainless steel case
-  Glass fiber reinforced resin case combined with stainless steel
-  Bio-based resin case
-  **Crown lock**
Secures the crowns against unintentional change to another function mode.
-  Anti-reverse bezel
-  Direction bezel
-  Screw lock back
-  Titanium case back
-  Bio-based case back
-  Carbon bezel





WRISTBANDS

-  Resin band
-  Cloth band
-  Stainless steel band
-  Solid stainless steel band
-  Imitation leather band
-  Genuine leather band
-  Titanium band
-  Solid titanium band
-  Resin link watch strap
-  Milanaise band
-  Mesh band
-  Bio-based resin band
-  Included: 1 additional bracelet




FINISHING

-  Bezel with IP finish
-  Case with IP finish
-  Bracelet with IP finish
-  Case back with DLC finish

BUCKLES

-  One-touch 3-fold buckle
-  2-fold buckle
-  Triple-fold buckle
-  Pin buckle

WATER RESISTANCE

-    **Water-resistant**
WR means that the model is water-resistant according to ISO 22810. Shortterm contact with water does not cause problems. From a water-resistant grade of 5 bar, the watch is able to withstand this amount of water pressure and is therefore suitable for use when showering. 10 bar water-resistant means that the model is also suitable for swimming or snorkelling. From 20 bar, the watch can be use for freediving without equipment.